

Dynamic Line



Self-adhesive, adjustable, pluggable Connecting cable LED RGB-, Power-, Dynamic-Line 50mm



Description:

connecting cable LED RGB Line as Connection between two Lines

Light colour: 2700 - 5000K (Dynamic) adjustable

Energy efficiency: LED 98 lm/W; luminaire: 300 lm/m (80 lm/W)



Symbols: CE, MM, IP20, SK III

EAN-No.: 4,05E+12

Weight: 0,002 kg

Special features:

- max. 6m or 18 x 333mm Line on one supply cable, quick and easy installation due to double-sided adhesive tape and integrated plug and socket of the Line (direct plug-in without connecting cable), Lines can be shortened at 167mm according to the marks on the front side, remains can't be used



Order number:
21529060001

limited availability

available versions

Choose from the options below. The currently selected one is highlighted in color.

article number	description	dimmable	shielding angle	type of construction	colour rendering	connection	lifetime	light colour	energy efficiency
20202510101	Dynamic LED Line 333mm 24 LED 1,25W	Yes	120°	linear luminaire	Ra/CRI >= 80	LED-Trafo DC 24V	L70/B10 >= 60.000h	2700 - 5000K (Dynamic) adjustable	LED 98 lm/W; luminaire: 300 lm/m (80 lm/W)
20202510201	Dynamic LED Line 1000mm 72 LED 3,75W	Yes	120°	linear luminaire	Ra/CRI >= 80	LED-Trafo DC 24V	L70/B10 >= 60.000h	2700 - 5000K (Dynamic) adjustable	LED 98 lm/W; luminaire: 300 lm/m (80 lm/W)
20202510301	Dynamic LED Line 2000mm 144 LED 7,50W	Yes	120°	linear luminaire	Ra/CRI >= 80	LED-Trafo DC 24V	L70/B10 >= 60.000h	2700 - 5000K (Dynamic) adjustable	LED 98 lm/W; luminaire: 300 lm/m (80 lm/W)
21529060001	Connecting cable LED RGB-, Power-, Dynamic-Line 50mm	No	-	-	-	-	-	-	-
21529062001	Connecting cable LED RGB-, Power-, Dynamic-Line 2000mm	No	-	-	-	-	-	-	-
21529060501	Connecting cable LED RGB-, Power-, Dynamic-Line 500mm	No	-	-	-	-	-	-	-
21534061001	Supply cable Dynamic LED Line 1000mm	No	-	-	-	LED-Trafo DC 24V	-	-	-

