

Basic-Tape S



Self-adhesive flexible LED strips with silicone compound LED Basic-Tape S 5m 600 LED 40W nw



Description:

Flexible LED strip on a reel, light colour neutral white approx. 4000 K, Quick and easy installation using the pre-applied double-sided 3M adhesive tape, incl. Connection cable 2,5 m with LED 24 plug, the strip can be cut every 50 mm (see marking), optional accessories: dimmable Transformer with Wireless remote control or 1-10 V Dimmer, Glass-edge profile for lateral Light injection of Glass panels, Corner profile, Mounting profile, Cover profile, Milled profile or Montageprofil after Remove the Encapsulation compound to the Kontaktstellen can the Strip with the Clipsen weiter verbunden are.

Connection: LED-Trafo DC 24V

Light colour: 4000K Neutral white

Beam angle: 120°

Energy efficiency: LED: 129 lm/W; Leuchte: 780 lm/m (98 lm/W)

Symbols: IP54, SK III


Weight: 0,22 kg

Special features:

- Quick and easy installation using double-sided adhesive tape
- Strip can be shortened every 50 mm (marking between the LEDs)
- The Strip can be afterwards after Remove the Silikonschicht vom Anschlusspad (then IP20) with the Clipsen and Verbindungsleitungen again reconnect
- Thanks to IP54, ideally suited for applications requiring increased protection (general Moisture, Bathroom- and Kitchen area, Fresh-food area, Shopfitting). The Silicone-Encapsulation compound garantiert a additional mechanical Schutz, z.B. with regelmäßigen Reinigungsarbeiten
- Light colour: 4000 K neutral white
- Incl. Connection cable 2,5 m with LED 24 plug
- With Silicone-Encapsulation compound (IP 54)
- Design: Flexible LED strip
- LED Transformer DC 24 V
- Connector system: LED 24
- Protection rating: IP54
- Dimmable with compatible control
- Max. 6 m per connection cable

Basic-Tape S- 40W - 600Led

	120°	Ø	xw	ww	nw
0,5m		1732	744 lx	784 lx	864 lx
1,0m		3464	186 lx	196 lx	216 lx
1,5m		5196	83 lx	87 lx	96 lx
2,0m		6928	47 lx	49 lx	54 lx
2,5m		8660	30 lx	31 lx	35 lx



Order number:
20202630233

article in stock



available versions

Choose from the options below. The currently selected one is highlighted in color.

article number	description	light colour
20202630232	LED Basic-Tape S 5m 600 LED 40W ww	3000K Warm white
20202630233	LED Basic-Tape S 5m 600 LED 40W nw	4000K Neutral white
20202630234	LED Basic-Tape S 5m 600 LED 40W xw	2700K Extra warm white

