


## FQ 68



Flat recessed LED luminaire with homogeneous planar light FQ 68-LED 4W nw black



### Description:

LED-Recessed spotlight with Area light, Plastic housing, Connection cable 2,5 m with LED 24 plug, light colour neutral white approx. 4000 K, Quick and easy installation using Snap hooks, optional accessories: Dimming controller with Wireless remote control, DALI or 1-10 V Dimmer, Screw-on mounting spring for secure support in lightweight ceilings, Mounting ring for installation without a recessed hole.

**Connection:** LED-Trafo DC 24V

**Light colour:** 4000K Neutral white

**Beam angle:** 110°

**Energy efficiency:** LED: 113 lm/W; Leuchte: 270 lm/m (68 lm/W)

**Symbols:** IP44, SK III

**Weight:** 0,08 kg

### Special features:

- Flush installation in 16 mm panels
- No visible points of light
- Light colour: 4000 K neutral white
- Connection cable 2,5 m with LED 24 plug
- Design: Wide-beam spotlight >80°
- LED Transformer DC 24 V
- Connector system: LED 24
- Protection rating: IP44 [with Blind hole]
- Dimmable with compatible control
- Housing colour: Black


### FQ 68

|      | 110° | Ø    | xw     | ww     | nw     |
|------|------|------|--------|--------|--------|
| 0,5m |      | 620  | 416 lx | 440 lx | 440 lx |
| 1,0m |      | 1240 | 104 lx | 110 lx | 110 lx |
| 1,5m |      | 1860 | 46 lx  | 49 lx  | 49 lx  |
| 2,0m |      | 2480 | 26 lx  | 28 lx  | 28 lx  |
| 2,5m |      | 3100 | 17 lx  | 18 lx  | 18 lx  |

### Drilling hole



68mm



**Order number:**  
61001650303

limited availability



## available versions

Choose from the options below. The currently selected one is highlighted in color.

| article number     | description                                  | light colour               |
|--------------------|----------------------------------------------|----------------------------|
| 61001650203        | FQ 68-LED 4W ww black                        | 3000K Warm white           |
| 61001650206        | FQ 68-LED 4W ww matt chrome                  | 3000K Warm white           |
| 61001650208        | FQ 68-LED 4W ww stainless-steel look         | 3000K Warm white           |
| <b>61001650303</b> | <b>FQ 68-LED 4W nw black</b>                 | <b>4000K Neutral white</b> |
| 61001650306        | FQ 68-LED 4W nw matt chrome                  | 4000K Neutral white        |
| 61001650308        | FQ 68-LED 4W nw stainless-steel look         | 4000K Neutral white        |
| 61056433002        | Set of 3 FQ 68-LED 4W ww black               | 3000K Warm white           |
| 61056438002        | 3er Set FQ 68-LED 4W ww stainless-steel look | 3000K Warm white           |
| 61056433003        | Set of 3 FQ 68-LED 4W nw black               | 4000K Neutral white        |
| 61056438003        | 3er Set FQ 68-LED 4W nw stainless-steel look | 4000K Neutral white        |
| 61056458002        | 5er Set FQ 68-LED 4W ww stainless-steel look | 3000K Warm white           |
| 61056458003        | 5er Set FQ 68-LED 4W nw stainless-steel look | 4000K Neutral white        |

