

## LED Track 24V



Compact, Rotatable and swivelling track spotlight LED Track Point S 1,5W ww black



### Description:

LED-Vitrinenleuchte for Power track, light colour warm white approx. 3000 K, Accessories: Power feed, Straight connector, Corner connector, Endcap, Mounting sleeve for free vertical Use the Rail in a Glass display case, Glass shelf support, using the Komination different Light colours and the easy Repositioning can various Materials with the correct Licht in Scene presented are.

**Connection:** LED-Trafo DC 24V  
**Light colour:** 3000K Warm white  
**Beam angle:** 10° - 30°  
**Energy efficiency:** LED: 88 lm/W; Leuchte: 80 lm/m (53 lm/W)  
**Symbols:** IP20, SK III  
**Weight:** 0,05 kg


### Special features:

- Adapter for Power supply anderer Lights Page [287258]
- Light colour: 3000 K warm white
- Beam angle 10° (30° Lens included)
- Design: Flexible LED strip
- LED Transformer DC 24 V
- Connector system: LED 24
- Protection rating: IP20
- Power: max. 60 W per Power feed
- Housing colour: Black

### Drilling hole



20mm



**Order number:**  
20202560302

article in stock



## available versions

Choose from the options below. The currently selected one is highlighted in color.

| article number            | description                                                  | safety class | connection system | metal housing | protection class | drilling diameter | connection       | light colour        | shielding angle | energy efficiency                        |
|---------------------------|--------------------------------------------------------------|--------------|-------------------|---------------|------------------|-------------------|------------------|---------------------|-----------------|------------------------------------------|
| 20202560302               | LED Track Point S 1,5W ww black                              | IP20         | LED 24            | No            | SK3              | 20mm              | LED-Trafo DC 24V | 3000K Warm white    | 10° - 30°       | LED: 88 lm/W; Leuchte: 80 lm/m (53 lm/W) |
| 20202560702               | LED Track Point S 1,5W ww anodised aluminium                 | IP20         | LED 24            | No            | SK3              | 20mm              | LED-Trafo DC 24V | 3000K Warm white    | 10° - 30°       | LED: 88 lm/W; Leuchte: 80 lm/m (53 lm/W) |
| 20202560303               | LED Track Point S 1,5W nw black                              | IP20         | LED 24            | No            | SK3              | 20mm              | LED-Trafo DC 24V | 4000K Neutral white | 10° - 30°       | LED: 88 lm/W; Leuchte: 80 lm/m (53 lm/W) |
| 20202560703               | LED Track Point S 1,5W nw anodised aluminium                 | IP20         | LED 24            | No            | SK3              | 20mm              | LED-Trafo DC 24V | 4000K Neutral white | 10° - 30°       | LED: 88 lm/W; Leuchte: 80 lm/m (53 lm/W) |
| 20202560301               | LED Track Point S 1,5W cw black                              | IP20         | LED 24            | No            | SK3              | 20mm              | LED-Trafo DC 24V | 5000K Cool white    | 10° - 30°       | LED: 88 lm/W; Leuchte: 80 lm/m (53 lm/W) |
| 20202560701               | LED Track Point S 1,5W cw anodised aluminium                 | IP20         | LED 24            | No            | SK3              | 20mm              | LED-Trafo DC 24V | 5000K Cool white    | 10° - 30°       | LED: 88 lm/W; Leuchte: 80 lm/m (53 lm/W) |
| LED-2-Link - Vitrinprofil |                                                              | N/A          | -                 | No            | N/A              | -                 | -                | N/A                 | -               | -                                        |
| 61500032703               | LED Display-case profile 1m                                  | N/A          | N/A               | Yes           | N/A              | 28mm              | N/A              | N/A                 | -               | -                                        |
| 61500032763               | LED Display-case profile 2,95m 5er Set                       | N/A          | N/A               | Yes           | N/A              | 28mm              | N/A              | N/A                 | -               | -                                        |
| 61500032701               | LED Display-case profile 1m                                  | N/A          | N/A               | Yes           | N/A              | 28mm              | N/A              | N/A                 | -               | -                                        |
| 61500032761               | LED Display-case profile 2,95m 5er Set                       | N/A          | N/A               | Yes           | N/A              | 28mm              | N/A              | N/A                 | -               | -                                        |
| LED-2-Link - Haltearm     |                                                              | IP20         | -                 | No            | -                | -                 | -                | N/A                 | -               | -                                        |
| 61500032913               | LED-2-Link holding arm 300mm with supply cable 2,5m max. 48W | IP20         | N/A               | Yes           | -                | 28mm              | N/A              | N/A                 | -               | -                                        |
| 61500032903               | LED-2-Link holding arm 300mm without supply cable            | N/A          | N/A               | Yes           | N/A              | 28mm              | N/A              | N/A                 | -               | -                                        |
| 61500032911               | LED-2-Link holding arm 300mm with supply cable 2,5m max. 48W | IP20         | N/A               | Yes           | -                | 28mm              | N/A              | N/A                 | -               | -                                        |
| 61500032901               | LED-2-Link holding arm 300mm without supply cable            | N/A          | N/A               | Yes           | N/A              | 28mm              | N/A              | N/A                 | -               | -                                        |
| LED-2-Link - Montagehülse |                                                              | N/A          | -                 | No            | N/A              | -                 | -                | N/A                 | -               | -                                        |

|                                       |                                                                         |     |     |     |     |      |     |     |   |   |
|---------------------------------------|-------------------------------------------------------------------------|-----|-----|-----|-----|------|-----|-----|---|---|
| 61500030003                           | Mounting Sleeve LED<br>Mounting Profile<br>black                        | N/A | N/A | Yes | N/A | 28mm | N/A | N/A | - | - |
| 61500030007                           | Mounting sleeve LED<br>surface-mounted<br>profile anodised<br>aluminium | N/A | N/A | Yes | N/A | 28mm | N/A | N/A | - | - |
| LED-2-Link -<br>Abdeckprofil 15<br>mm |                                                                         | N/A | -   | No  | N/A | -    | -   | N/A | - | - |
| 61500032813                           | LED Cover Profile<br>15mm 1m                                            | N/A | N/A | No  | N/A | 28mm | N/A | N/A | - | - |
| 61500032863                           | LED Cover Profile<br>15mm 2,95m set of 5                                | N/A | N/A | No  | N/A | 28mm | N/A | N/A | - | - |
| 61500032810                           | LED Cover Profile<br>15mm 1m                                            | N/A | N/A | No  | N/A | 28mm | N/A | N/A | - | - |
| 61500032861                           | LED Cover Profile<br>15mm 2,95m set of 5                                | N/A | N/A | No  | N/A | 28mm | N/A | N/A | - | - |

