

Dynamic ModuLite F



LED under-cabinet light with area lighting and adjustable light colour for 230 V Dynamic LED ModuLite F 600mm 10W white



Description:

Slim LED Under-cabinet light for 230 V, Housing White, easy Installation (directly can be screwed through), with very small (Plug D=7,5 mm) High-voltage-Connector system of Tyco AMP, Light colour adjustable between approx. 2700 K and 5000 K, Control via various wireless remote controls. The uniform illuminated surface remains free of visible points of light.


Connection: 220 - 240V / 50 - 60Hz
Light colour: 2700 - 5000K (Dynamic) adjustable
Beam angle: 120°
Energy efficiency: LED: 122 lm/W; Leuchte: 1583 lm/m (95 lm/W)
Symbols: IP20, SK II
Weight: 0,27 kg

Special features:

- No visible points of light
- With integrated Dynamic Controller
- Dimmable
- Light colour: 2700 - 5000 K (Dynamic) adjustable
- Without Switch // White
- HVLCS Plug and HVLCS Socket integrated
- Mains connection cable and Wireless-Transmitter please separately order
- Design: Linear-Light
- 220–240 V / 50–60 Hz
- Connector system: HVLCS
- Protection rating: IP20
- Dimmable with compatible control
- Integrated HVLCS Plug connection in the Housing for gap-free Lines of light (max. 300 W)
- Housing colour: White

Dynamic ModuLite F

	120°	Ø	xw	cw
0,5m		1700	2320 lx	2440 lx
1,0m		3500	580 lx	610 lx
1,5m		5200	258 lx	271 lx
2,0m		7000	145 lx	153 lx
2,5m		8700	93 lx	98 lx



Order number:
20202583202


limited availability



available versions

Choose from the options below. The currently selected one is highlighted in color.

article number	description
20202583202	Dynamic LED ModuLite F 600mm 10W white
20202583302	Dynamic LED ModuLite F 900mm 15W white
20202583402	Dynamic LED ModuLite F 1200mm 18W white
20202583203	Dynamic LED ModuLite F 600mm 10W black
20202583303	Dynamic LED ModuLite F 900mm 15W black
20202583403	Dynamic LED ModuLite F 1200mm 18W black
20202583201	Dynamic LED ModuLite F 600mm 10W anodised aluminium
20202583301	Dynamic LED ModuLite F 900mm 15W anodised aluminium
20202583401	Dynamic LED ModuLite F 1200mm 18W anodised aluminium



wattage	L	Number *
10 W	600	30
15 W	900	20
18 W	1200	16

* Maximum number of luminaires per strip light
(maximum 3 strip lights, HVLCs V 6-way distributor
maximum 2,5A total) on one N-circuit breaker
16A, single pole, type B.

