


LED 24V Dynamic-Controller



Light control for colour temperature 24V Dynamic-Controller radio 75W incl. surface mounted remote control stainless steel look



Description:

Dynamic controller 24V with enclosed surface mounted remote control stainless steel look and wall mounting, with memory function (after cut off from mains the last setting is recovered), incl. battery, supply cable with two LED 24-plugs and 12-way distributor for the luminaires

Connection: LED-Trafo DC 24 V


Symbols: CE, MM, UL, IP20, SK III

EAN-No.: 4051268120678

Weight: 0,105 kg

Special features:

- for dynamic luminaires with dynamic plug
- easy plug-in connection for new or existing installations
- with memory function (after cut off from mains the last setting is recovered)
- radio remote control: to control the colour setting, dim and switch (operating distance 15m / less for walls and ceilings)
- flush-mounted touch remote control to control the colour setting, dim and switch with customary push button
- multiple radio controllers can be activated simultaneously using one remote control
- NEW: All controllers with „Soft Off“ and „Multicontrol“ (it is possible to program up to 7 remote controls to one controller)



Order number:
61500050531

article in stock

available versions

Choose from the options below. The currently selected one is highlighted in color.

| article number | description | connection system | connection |
|--------------------|---|-------------------|--------------------------|
| 20805003015 | 24V Dynamic-Controller radio 75W incl. flush-mounted touch-remote-control | Dynamic | LED-Trafo DC 24 V |
| 61500050532 | 24V Dynamic-Controller radio 75W incl. 4 channel remote control black | Dynamic | LED-Trafo DC 24 V |
| 61500050529 | 24V Dynamic-Controller radio 75W incl. surface mounted remote control black | Dynamic | LED-Trafo DC 24 V |
| 61500050531 | 24V Dynamic-Controller radio 75W incl. surface mounted remote control stainless steel look | Dynamic | LED-Trafo DC 24 V |
| 61500050530 | 24V Dynamic-Controller radio 75W with 4-way distributor incl. recessed remote control black | Dynamic | LED-Trafo DC 24 V |
| 61500050534 | 24V Dynamic-Controller radio 75W incl. recessed remote control stainless steel look | Dynamic | LED-Trafo DC 24 V |
| 20805003012 | 24V Dynamic-Controller radio 75W without remote control (as extension to controllers incl. rc) | Dynamic | LED-Trafo DC 24 V |
| 20805002051 | Flush-mounted touch remote control to adjust the colour, dim and switch | - | 220 - 240V / 50 - 60Hz |
| 61500050631 | 4 channel remote control black | - | - |
| 61500050643 | Surface mounted remote control Dynamic black | - | - |
| 61500050641 | Surface mounted remote control Dynamic stainless steel look | - | - |
| 61500050653 | Recessed remote control Dynamic black | - | - |
| 61500050651 | Recessed remote control Dynamic stainless steel look | - | - |
| 61500050533 | 24V Dynamic-Controller DALI 120W with 2x4-way distributor | Dynamic | LED-Trafo DC 24 V |
| 61500052211 | 24V Dynamic-Controller ZigBee / Alexa 96W with 2x12-way distributor | Dynamic | LED-Trafo DC 24 V |
| 21703260101 | Wall switch Dynamic ZigBee / Alexa white | Dynamic | - |
| 61500051611 | 24V Dynamic-Controller CASAMBI 75W with 12-way distributor | Dynamic | LED-Trafo DC 24 V |
| 20805005011 | 24V Dynamic-Controller Touch 48W with 3 solder bridges | Dynamic | LED-Trafo DC 24 V |
| 61500052801 | Wall switch Dynamic ZigBee / Alexa white+ Controller 96W | Dynamic | LED-Trafo DC 24 V |
| 20805005201 | 24V Dynamic-Controller BLE 120W with 12-way distributor | Dynamic | LED-Trafo DC 24 V |

