

Accessories recessed LED luminaire

Mounting spring AR/AQ/FAR/FAQ/ 68-78




Description:

mounting spring for screwing on all ARF and R 68 / Q 68 luminaires for a secure hold in lightweight ceilings or plasterboard

Symbols: CE, MM

EAN-No.: 4,05E+12


Weight: 0,024 kg



Drilling hole



68-78mm



Order number:
61500030101

article in stock

available versions

Choose from the options below. The currently selected one is highlighted in color.

article number	description	drilling diameter	colour of housing	connection
20501021506	Mounting ring R 55 matt chrome	-	-	-
20501021508	Mounting ring R 55 stainless steel	-	-	-
20501021106	Mounting ring R 68 matt chrome	-	-	-
20501021108	Mounting ring R 68 stainless steel look	-	-	-
20501021803	Mounting ring R 68 black	-	-	-
20501021206	Mounting ring Q 68 matt chrome	-	-	-
20501021208	Mounting ring Q 68 stainless steel look	-	-	-
20501021203	Mounting ring Q 68 black	-	-	-
61500030121	Mounting spring AR 35	-	-	-
61500030111	Mounting spring AR 45	-	-	-
61500030101	Mounting spring AR/AQ/FAR/FAQ/ 68-78	68-78mm	-	-
61500030131	Mounting spring HV 68/78	68-78mm	-	-
20501021406	Adapter ring SR 68 round matt chrome	-	-	-
20501021408	Adapter ring SR 68 round stainless steel look	-	-	-
20501021401	Adapter ring SR 68 round white	-	-	-
20501021416	Adapter ring SR 68 square matt chrome	-	-	-
20501021418	Adapter ring SR 68 square stainless steel	-	-	-
20501021411	Adapter ring SR 68 square white	-	-	-
20501021908	Mounting ring AR 68 stainless steel	-	-	-
20501021903	Mounting ring AR 68 black	-	-	-
20501022008	Mounting ring AQ 68 stainless steel	-	-	-
20501022003	Mounting ring AQ 68 black	-	-	-
20501022108	Mounting ring AR 58 stainless steel look	-	Stainless steel	-
20501022103	Mounting ring AR 58 black	-	Black	-
20501022201	Decor ring Eco R 68 round white	-	White	-
20501022203	Decor ring Eco R 68 round black	-	Black	220 - 240V / 50 - 60Hz
20501022204	Decor ring Eco R 68 round chrome	-	Matt chrome	220 - 240V / 50 - 60Hz
20501022208	Decor ring Eco R 68 round stainless steel look	-	Stainless steel	220 - 240V / 50 - 60Hz

