Basic-Tape S

IP 54 | LED 24 | configurator

Self-adhesive flexible LED strips with silicone compound LED Basic-Tape S 5m 600 LED 40W xw






Description:
Flexible LED strip on a reel, light colour extra warm white approx. 2700 K, Quick and easy installation using the pre-applied double-sided 3M adhesive tape, incl. Connection cable 2,5 m with LED 24 plug, the strip can be cut every 50 mm (see marking), optional accessories: dimmable Transformer with Wireless remote control or 1-10 V Dimmer, Glass-edge profile for lateral Light injection of Glass panels, Corner profile, Mounting profile, Cover profile or Milled profile, after Remove the Encapsulation compound to the Kontaktstellen can the Strip with the Clipsen weiter verbunden are.

Connection:	LED-Trafo DC 24V
Light colour:	2700K Extra warm white
Beam angle:	120°
Energy efficiency:	LED: 129 lm/W; Leuchte: 780 lm/m (98 lm/W)
Energy efficiency class:	F
Symbols:	IP54, SK III
Weight:	0,22 kg


Special features:

- Quick and easy installation using double-sided adhesive tape
- Strip can be shortened every 50 mm (marking between the LEDs)
- The Strip can be afterwards after Remove the Silikonschicht vom Anschlusspad (then IP20) with the Clipsen and Verbindungsleitungen again reconnect
- Thanks to IP54, ideally suited for applications requiring increased protection (general Moisture, Bathroom- and Kitchen area, Fresh-food area, Shopfitting). The Silicone-Encapsulation compound garantiert a additional mechanical Schutz, z.B. with regelmäßigen Reinigungsarbeiten
- Light colour: 2700 K extra warm white
- Incl. Connection cable 2,5 m with LED 24 plug
- With Silicone-Encapsulation compound (IP 54)
- Design: Flexible LED strip
- LED Transformer DC 24 V
- Connector system: LED 24
- Protection rating: IP54
- Dimmable with compatible control
- Max. 6 m per connection cable

Basic-Tape S- 40W - 600Led



	Ø	xw	ww	nw
0,5m	1732	744 lx	784 lx	864 lx
1,0m	3464	186 lx	196 lx	216 lx
1,5m	5196	83 lx	87 lx	96 lx
2,0m	6928	47 lx	49 lx	54 lx
2,5m	8660	30 lx	31 lx	35 lx



Order number:
20202630234

article in stock

HERA LED WARRANTY 5 YEARS

available versions

Choose from the options below. The currently selected one is highlighted in color.

article number	description	Gehäusefarbe	connection system	configurable	connection	light colour
20202630232	LED Basic-Tape S 5m 600 LED 40W ww	N/A	LED 24	Yes	LED-Trafo DC 24V	3000K Warm white
20202630233	LED Basic-Tape S 5m 600 LED 40W nw	N/A	LED 24	Yes	LED-Trafo DC 24V	4000K Neutral white
20202630234	LED Basic-Tape S 5m 600 LED 40W xw	N/A	LED 24	Yes	LED-Trafo DC 24V	2700K Extra warm white
61059410104	Set of 1 LED Basic-Tape S 900mm 8,1W xw + transformer 15W	N/A	-	Yes	-	2700K Extra warm white
61059410114	Set of 1 LED Basic-Tape S 1000mm 9,0W xw + transformer 15W	N/A	-	Yes	-	2700K Extra warm white
61059410113	Set of 1 LED Basic-Tape S 1000mm 9,0W nw + transformer 15W	N/A	-	Yes	-	4000K Neutral white
61059410112	Set of 1 LED Basic-Tape S 1000mm 9,0W ww + transformer 15W	N/A	-	Yes	-	3000K Warm white
61059410124	Set of 1 LED Basic-Tape S 1400mm 12,6W xw + transformer 15W	N/A	-	Yes	-	2700K Extra warm white
61059410134	Set of 1 LED Basic-Tape S 2400mm 21,1W xw + transformer 30W	N/A	-	Yes	-	2700K Extra warm white
61059410144	Set of 1 LED Basic-Tape S 2600mm 22,7W xw + transformer 30W	N/A	-	Yes	-	2700K Extra warm white
61059410164	Set of 1 LED Basic-Tape S 3000mm 25,9W xw + transformer 30W	N/A	-	Yes	-	2700K Extra warm white
61059410162	Set of 1 LED Basic-Tape S 3000mm 25,9W ww + transformer 30W	N/A	-	Yes	-	3000K Warm white
61059410163	Set of 1 LED Basic-Tape S 3000mm 25,9W nw + transformer 30W	N/A	-	Yes	-	4000K Neutral white
61059410174	Set of 1 LED Basic-Tape S 4600mm 37,5W xw + transformer 60W	N/A	-	Yes	-	2700K Extra warm white
61059410184	Set of 1 LED Basic-Tape S 5000mm 40,0W xw + transformer 60W	N/A	-	Yes	-	2700K Extra warm white
61059410154	Set of 1 LED Basic-Tape S 2800mm 24,4W xw + transformer 30W	N/A	-	No	-	2700K Extra warm white

Order number: 20202630234

