SlimLite® CS LED HO+

Powerful, 180° rotating 230V aluminium linear luminaire SlimLite CS LED HO+ 595mm 13,8W xw






Description:
LED linear luminarie for 230V, rotating 180°, rigid connectors for minimum spacing between luminaires, vertical plug-in system allows later removal from the strip light, solid aluminium casing, easy mounting though enclosed clips, many accessories like horizontal or vertical connection line distributor and flush-type sockets with with small (7,5mm diameter) high-voltage plug-in system ready for connection with Tyco AMP, corner mounting clips 45° or angle mounting clips 90°, colour appearance extra warm white appr.2700K

Connection:	220 - 240V / 50 - 60Hz
Life:	L70/B10 >= 60.000 h
Light colour:	2700 K extra warm white
Energy efficiency:	LED 120 lm/W; luminaire: 1670 lm/m (100 lm/W)
Energy efficiency class:	E
Colour rendering:	Ra/CRI >= 95
Symbols:	CE, MM, IP20, SK II
EAN-No.:	4051268109475
Weight:	0,4 kg


Special features:

- LEDs rotating 180°
- rigid connectors for minimum spacing between luminaires
- vertical plug-in system allows later removal from the strip light
- many accessories

SlimLite® CS LED HO+



	Ø	xw	ww	nw
0,5m	610	2600 lx	2700 lx	2880 lx
1,0m	1220	650 lx	675 lx	720 lx
1,5m	1830	289 lx	300 lx	320 lx
2,0m	2440	163 lx	169 lx	180 lx
2,5m	3050	104 lx	108 lx	115 lx



Order number:
61001292104

article in stock

available versions

Choose from the options below. The currently selected one is highlighted in color.

article number	description	light colour
61001292105	SlimLite CS LED HO+ 595mm 13,8W Meat	Meat (colour appearance)
61001292205	SlimLite CS LED HO+ 895mm 18,0W Meat	Meat (colour appearance)
61001292305	SlimLite CS LED HO+ 1195mm 24,7W Meat	Meat (colour appearance)
61001292004	SlimLite CS LED HO+ 335mm 5,8W xw	2700 K extra warm white
61001292104	SlimLite CS LED HO+ 595mm 13,8W xw	2700 K extra warm white
61001292204	SlimLite CS LED HO+ 895mm 18,0W xw	2700 K extra warm white
61001292304	SlimLite CS LED HO+ 1195mm 24,7W xw	2700 K extra warm white
61001292002	SlimLite CS LED HO+ 335mm 5,8W ww	3000 K warm white
61001292102	SlimLite CS LED HO+ 595mm 13,8W ww	3000 K warm white
61001292202	SlimLite CS LED HO+ 895mm 18,0W ww	3000 K warm white
61001292302	SlimLite CS LED HO+ 1195mm 24,7W ww	3000 K warm white
61001292001	SlimLite CS LED HO+ 335mm 5,8W nw	4000 K neutral white
61001292101	SlimLite CS LED HO+ 595mm 13,8W nw	4000 K neutral white
61001292201	SlimLite CS LED HO+ 895mm 18,0W nw	4000 K neutral white
61001292301	SlimLite CS LED HO+ 1195mm 24,7W nw	4000 K neutral white

Order number: 61001292104

Lamp output	No. LED	Length L	Length L1	No.* per strip light
5,8W HE+	24	595	583	28
8,9W HE+	36	895	883	28
10,3W HE+	48	1195	1183	28
5,8W HO+	18	335	323	28
13,8W HO+	36	595	583	28
18,0W HO+	52	895	883	22
24,7W HO+	72	1195	1183	13

* maximum number of luminaires per strip light (maximum 3 strip lights, HVLCS V 6-way distributor maximum 2,5A total) on one N-circuit breaker 16A, single pole, type B

