

Basic-Tape S

Self-adhesive, silicone coated, ingress protection IP54 Set of 1 LED Basic-Tape S 3000mm 25,9W nw + transformer 30W



Description:

Flexible LED tape with silicon protection on roll, colour appearance neutral white 4000K, quick and easy installation due to 3M double-sided adhesive tape, supply cable 2,5m already attached, the tape can be shortened at 50mm (see marking). optional accessories: glass edge profile for lateral light supply of glass panes, corner profiles, cover profiles, milled profiles or mounting profiles, controller with radio remote control DALI, ZigBee or WiFi app

Light colour: 4000K neutral white


Energy efficiency: LED: 129 lm/W; luminaire: 780 lm/m (98 lm/W)

EAN-No.: 4,05E+12

Weight: 0,485 kg

Special features:

- max. 6m per supply cable
- quick and easy installation due to double-sided adhesive tape
- tapes can be shortened at 50mm intervals according to the marks on the front side)
- after removing the silicone layer from the connection pad the strips can be connected with the clips and connecting cables (now IP20 only)
- the power (W) of partial sections cannot be calculated linearly, please refer to the configurator!
- with IP54, suitable for applications requiring higher ingress protection (general humidity, bathroom, kitchen, shops). The silicone compound assures an additional mechanical protection e.g. for frequent cleaning work.



Order number:
61059410163

limited availability

available versions

Choose from the options below. The currently selected one is highlighted in color.

article number	description	safety class	connection system	configurable	dimmable	protection class	shielding angle	energy efficiency	type of construction	colour rendering	connection	lifetime	light colour
20202630234	LED Basic-Tape S 5m 600 LED 40W xw	IP54	LED 24	Yes	Yes	SK3	120°	LED: 129 lm/W; luminaire: 780 lm/m (98 lm/W)	linear luminaire	Ra/CRI >= 85	LED-Trafo DC 24V	L70/B10 >= 40.000h	2700K extra warm white
61059410114	Set of 1 LED Basic-Tape S 1000mm 9,0W xw + transformer 15W	-	-	No	No	-	-	-	-	-	-	-	2700K extra warm white
61059410162	Set of 1 LED Basic-Tape S 3000mm 25,9W ww + transformer 30W	-	-	No	No	-	-	-	-	-	-	-	3000K warm white
61059410113	Set of 1 LED Basic-Tape S 1000mm 9,0W nw + transformer 15W	-	-	No	No	-	-	-	-	-	-	-	4000K neutral white
61059410163	Set of 1 LED Basic-Tape S 3000mm 25,9W nw + transformer 30W	-	-	No	No	-	-	-	-	-	-	-	4000K neutral white
20202630232	LED Basic-Tape S 5m 600 LED 40W ww	IP54	LED 24	Yes	Yes	SK3	120°	LED: 129 lm/W; luminaire: 780 lm/m (98 lm/W)	linear luminaire	Ra/CRI >= 85	LED-Trafo DC 24V	L70/B10 >= 40.000h	3000K warm white
20202630233	LED Basic-Tape S 5m 600 LED 40W nw	IP54	LED 24	Yes	Yes	SK3	120°	LED: 129 lm/W; luminaire: 780 lm/m (98 lm/W)	linear luminaire	Ra/CRI >= 85	LED-Trafo DC 24V	L70/B10 >= 40.000h	4000K neutral white
61059410104	Set of 1 LED Basic-Tape S 900mm 8,1W xw + transformer 15W	-	-	No	No	-	-	-	-	-	-	-	2700K extra warm white
61059410134	Set of 1 LED Basic-Tape S 2400mm 21,1W xw + transformer 30W	-	-	No	No	-	-	-	-	-	-	-	2700K extra warm white
61059410144	Set of 1 LED Basic-Tape S 2600mm 22,7W xw + transformer 30W	-	-	No	No	-	-	-	-	-	-	-	2700K extra warm white

61059410164	Set of 1 LED Basic- Tape S 3000mm 25,9W xw + transformer 30W	-	-	No	No	-	-	-	-	-	-	-	2700K extra warm white
61059410174	Set of 1 LED Basic- Tape S 4600mm 37,5W xw + transformer 60W	-	-	No	No	-	-	-	-	-	-	-	2700K extra warm white
61059410184	Set of 1 LED Basic- Tape S 5000mm 40,0W xw + transformer 60W	-	-	No	No	-	-	-	-	-	-	-	2700K extra warm white
61059410112	Set of 1 LED Basic- Tape S 1000mm 9,0W ww + transformer 15W	-	-	No	No	-	-	-	-	-	-	-	3000K warm white

