

Basic-Tape S

Self-adhesive, silicone coated, ingress protection IP54 Set of 1 LED Basic-Tape S 3000mm 25,9W ww + transformer 30W



Description:

Flexible LED tape with silicon protection on roll, colour appearance warm white 3000K, quick and easy installation due to 3M double-sided adhesive tape, supply cable 2,5m already attached, the tape can be shortened at 50mm (see marking). optional accessories: glass edge profile for lateral light supply of glass panes, corner profiles, cover profiles, milled profiles or mounting profiles, controller with radio remote control DALI, ZigBee or WiFi app

Light colour: 3000K warm white


Energy efficiency: LED: 129 lm/W; luminaire: 780 lm/m (98 lm/W)

EAN-No.: 4,05E+12

Weight: 0,485 kg

Special features:

- max. 6m per supply cable
- quick and easy installation due to double-sided adhesive tape
- tapes can be shortened at 50mm intervals according to the marks on the front side)
- after removing the silicone layer from the connection pad the strips can be connected with the clips and connecting cables (now IP20 only)
- the power (W) of partial sections cannot be calculated linearly, please refer to the configurator!
- with IP54, suitable for applications requiring higher ingress protection (general humidity, bathroom, kitchen, shops). The silicone compound assures an additional mechanical protection e.g. for frequent cleaning work.



Order number:
61059410162

limited availability

available versions

Choose from the options below. The currently selected one is highlighted in color.

[illegible]

[illegible]

