

Spot



Individually adjustable aluminium showcase spotlight LED Mono Spot 1,5W nw anodized aluminium



Description:

rotate and swivel LED spotlight, height infinitely variable up to 300mm, metal housing, colour appearance neutral white approx. 4000K, supply cable 2,2m with LED 24 plug, optional accessories: Dim-Controller with remote control, 1-10V, DALI, ZigBee, Sonar or WiFi

Connection: LED-Trafo DC 24V
Life: L90/B10 >= 60.000h
Light colour: 4000K neutral white
Beam angle: 38°
Energy efficiency: LED 110 lm/W; luminaire: 80 lm (53 lm/W)
Energy efficiency class: G
Colour rendering: Ra/CRI >= 90
Symbols: CE, MM, UL, IP20, SK III
EAN-No.: 4,05E+12
Weight: 0,15 kg

Special features:

- height infinitely variable up to 300mm
- 360° rotating and swiveling by 300°
- dimmable (only 1 controller per transformer)


LED Spot 1,5 W

38°	Ø	ww	nw
0,5m	290	424 lx	520 lx
1,0m	580	106 lx	130 lx
1,5m	870	47 lx	58 lx
2,0m	1160	27 lx	33 lx
2,5m	1450	17 lx	21 lx

Drilling hole



15mm



Order number:
20202780103

limited availability

available versions

Choose from the options below. The currently selected one is highlighted in color.

article number	description	colour of housing	energy efficiency	light colour
20202780302	LED Mono Spot 1,5W ww black	Black	LED 110 lm/W; luminaire: 80 lm (53 lm/W)	3000K warm white
20202780102	LED Mono Spot 1,5W ww anodized aluminium	Anodized aluminium	LED 110 lm/W; luminaire: 80 lm (53 lm/W)	3000K warm white
20202780303	LED Mono Spot 1,5W nw black	Black	LED 110 lm/W; luminaire: 80 lm (53 lm/W)	4000K neutral white
20202780103	LED Mono Spot 1,5W nw anodized aluminium	Anodized aluminium	LED 110 lm/W; luminaire: 80 lm (53 lm/W)	4000K neutral white
20202782302	LED Duo Spot 2x1,5W ww black	Black	LED 110 lm/W; luminaire: 80 lm (53 lm/W)	3000K warm white
20202782102	LED Duo Spot 2x1,5W ww anodized aluminium	Anodized aluminium	LED 110 lm/W; luminaire: 80 lm (53 lm/W)	3000K warm white
20202782303	LED Duo Spot 2x1,5W nw black	Black	LED 110 lm/W; luminaire: 80 lm (53 lm/W)	4000K neutral white
20202782103	LED Duo Spot 2x1,5W nw anodized aluminium	Anodized aluminium	LED 110 lm/W; luminaire: 80 lm (53 lm/W)	4000K neutral white
20202790302	LED Mono Spot 3W ww black	Black	LED 110 lm/W; luminaire: 150 lm (50 lm/W)	3000K warm white
20202790102	LED Mono Spot 3W ww anodized aluminium	Anodized aluminium	LED 110 lm/W; luminaire: 150 lm (50 lm/W)	3000K warm white
20202790303	LED Mono Spot 3W nw black	Black	LED 110 lm/W; luminaire: 150 lm (50 lm/W)	4000K neutral white
20202790103	LED Mono Spot 3W nw anodized aluminium	Anodized aluminium	LED 110 lm/W; luminaire: 150 lm (50 lm/W)	4000K neutral white
20202792302	LED Duo Spot 2x3W ww black	Black	LED 110 lm/W; luminaire: 150 lm (50 lm/W)	3000K warm white
20202792102	LED Duo Spot 2x3W ww anodized aluminium	Anodized aluminium	LED 110 lm/W; luminaire: 150 lm (50 lm/W)	3000K warm white
20202792303	LED Duo Spot 2x3W nw black	Black	LED 110 lm/W; luminaire: 150 lm (50 lm/W)	4000K neutral white
20202792103	LED Duo Spot 2x3W nw anodized aluminium	Anodized aluminium	LED 110 lm/W; luminaire: 150 lm (50 lm/W)	4000K neutral white

