

ModuLite F



230 V kitchen under-cabinet light with homogeneous area lighting LED ModuLite F 1200mm 18W nw



Description:

Slim LED Under-cabinet light for 230 V, Housing White, easy Installation (directly can be screwed through), with very small (Plug D= 7,5 mm) High-voltage-Connector system of Tyco AMP, light colour neutral white approx. 4000 K, With integrated switch. Light colour: 4000 K neutral white. Incl. Switch // White.


Connection: 220 - 240V / 50 - 60Hz
Light colour: 4000K Neutral white
Beam angle: 120°
Energy efficiency: LED: 122 lm/W; Leuchte: 1583 lm/m (95 lm/W)
Energy efficiency class: F
Symbols: IP20, SK II
Weight: 0,52 kg

Special features:

- With integrated switch
- Light colour: 4000 K neutral white
- Incl. Switch // White
- HVLCS Plug and HVLCS Socket integrated
- Please order mains connection cables separately
- Design: Linear-Light
- 220–240 V / 50–60 Hz
- Connector system: HVLCS
- Housing colour: Anodised aluminium
- Protection rating: IP20
- Integrated HVLCS Plug connection in the Housing for gap-free Lines of light (max. 300 W)

ModuLite F

	120°	Ø	ww	nw
0,5m		1732	1720 lx	1800 lx
1,0m		3464	430 lx	450 lx
1,5m		5196	191 lx	200 lx
2,0m		6928	108 lx	113 lx
2,5m		8660	69 lx	72 lx



Order number:
20202580413

article in stock




available versions

Choose from the options below. The currently selected one is highlighted in color.

article number	description	Gehäusefarbe	light colour
20202580003	LED ModuLite F 300mm 5W nw	Anodized aluminum	4000K Neutral white
20202580002	LED ModuLite F 300mm 5W ww	Anodized aluminum	3000K Warm white
20202580112	LED ModuLite F 450mm 8W ww	Anodized aluminum	3000K Warm white
20202580113	LED ModuLite F 450mm 8W nw	Anodized aluminum	4000K Neutral white
20202580132	LED ModuLite F 450mm 8W ww	Black	3000K Warm white
20202580133	LED ModuLite F 450mm 8W nw	Black	4000K Neutral white
20202580102	LED ModuLite F 450mm 8W ww	Anodized aluminum	3000K Warm white
20202580103	LED ModuLite F 450mm 8W nw	Anodized aluminum	4000K Neutral white
20202580212	LED ModuLite F 600mm 10W ww	Anodized aluminum	3000K Warm white
20202580213	LED ModuLite F 600mm 10W nw	Anodized aluminum	4000K Neutral white
20202580312	LED ModuLite F 900mm 15W ww	Anodized aluminum	3000K Warm white
20202580232	LED ModuLite F 600mm 10W ww	Black	3000K Warm white
20202580233	LED ModuLite F 600mm 10W nw	Black	4000K Neutral white
20202580202	LED ModuLite F 600mm 10W ww	Anodized aluminum	3000K Warm white
20202580203	LED ModuLite F 600mm 10W nw	Anodized aluminum	4000K Neutral white
20202580313	LED ModuLite F 900mm 15W nw	Anodized aluminum	4000K Neutral white
20202580332	LED ModuLite F 900mm 15W ww	Black	3000K Warm white
20202580333	LED ModuLite F 900mm 15W nw	Black	4000K Neutral white
20202580302	LED ModuLite F 900mm 15W ww	Anodized aluminum	3000K Warm white
20202580303	LED ModuLite F 900mm 15W nw	Anodized aluminum	4000K Neutral white
20202580412	LED ModuLite F 1200mm 18W ww	Anodized aluminum	3000K Warm white
20202580413	LED ModuLite F 1200mm 18W nw	Anodized aluminum	4000K Neutral white
20202580432	LED ModuLite F 1200mm 18W ww	Black	3000K Warm white
20202580433	LED ModuLite F 1200mm 18W nw	Black	4000K Neutral white
20202580402	LED ModuLite F 1200mm 18W ww	Anodized aluminum	3000K Warm white
20202580403	LED ModuLite F 1200mm 18W nw	Anodized aluminum	4000K Neutral white

Order number: 20202580413



verlenging	L	Stukken *
5 W	300	60
8 W	450	36
10 W	600	30
15 W	900	20
18 W	1200	16

* Maximum number of luminaires per strip light
(Maximum 3 strip lights, HVLCS V 6-way distributor
maximum 2,5A total) on one N-circuit Breaker
16A, single pole, type B.

