

ModuLite F



230V under cabinet kitchen luminaire with homogeneous planar light LED ModuLite F 1200mm 18W ww



Description:

White uniform light for the best working conditions - this is what the ModuLite F LED under-cabinet luminaire with 230V promises. In addition to strong performance, the light strip offers clever features that are perfectly designed for use in the kitchen. The housing of the LED under-cabinet luminaire is made of anodised aluminium and is therefore particularly resistant to water vapour. Thanks to the integrated switch, operating the light strip is particularly easy. This also applies to installation: the under-cabinet luminaire can be screwed through and uses the high-voltage plug-in system from Tyco AMP. This makes it easy to install the LED luminaire in the kitchen. The very small plug with a diameter of just 7.5 mm also enables discreet use even in the tightest spaces.


Connection: 220 - 240V / 50 - 60Hz
Life: L70/B10 >= 60.000 h
Light colour: 3000 K warm white
Beam angle: 120°
Energy efficiency: LED: 122 lm/W; luminaire: 1583 lm/m (95 lm/W)
Energy efficiency class: F
Colour rendering: Ra/CRI >= 90
Symbols: CE, MM, IP20, SK II
EAN-No.: 4051268129862
Weight: 0,52 kg

Special features:

- integrated HVLCS plug and socket in casing for uninterrupted strip lights (max. 300 W)
- with integrated switch
- not dimmable

ModuLite F

| | 120° | Ø | ww | nw |
|------|------|------|---------|---------|
| 0,5m | | 610 | 2360 lx | 2400 lx |
| 1,0m | | 1220 | 590 lx | 600 lx |
| 1,5m | | 1830 | 262 lx | 267 lx |
| 2,0m | | 2440 | 148 lx | 150 lx |
| 2,5m | | 3050 | 94 lx | 96 lx |



Order number:
20202580402


article in stock

available versions

Choose from the options below. The currently selected one is highlighted in color.

| article number | description | colour of housing | light colour |
|--------------------|-------------------------------------|---------------------------|--------------------------|
| 20202580112 | LED ModuLite F 450mm 8W ww | white | 3000 K warm white |
| 20202580212 | LED ModuLite F 600mm 10W ww | white | 3000 K warm white |
| 20202580312 | LED ModuLite F 900mm 15W ww | white | 3000 K warm white |
| 20202580412 | LED ModuLite F 1200mm 18W ww | white | 3000 K warm white |
| 20202580113 | LED ModuLite F 450mm 8W nw | white | 4000 K neutral white |
| 20202580213 | LED ModuLite F 600mm 10W nw | white | 4000 K neutral white |
| 20202580313 | LED ModuLite F 900mm 15W nw | white | 4000 K neutral white |
| 20202580413 | LED ModuLite F 1200mm 18W nw | white | 4000 K neutral white |
| 20202580132 | LED ModuLite F 450mm 8W ww | black | 3000 K warm white |
| 20202580232 | LED ModuLite F 600mm 10W ww | black | 3000 K warm white |
| 20202580332 | LED ModuLite F 900mm 15W ww | black | 3000 K warm white |
| 20202580432 | LED ModuLite F 1200mm 18W ww | black | 3000 K warm white |
| 20202580133 | LED ModuLite F 450mm 8W nw | black | 4000 K neutral white |
| 20202580233 | LED ModuLite F 600mm 10W nw | black | 4000 K neutral white |
| 20202580333 | LED ModuLite F 900mm 15W nw | black | 4000 K neutral white |
| 20202580433 | LED ModuLite F 1200mm 18W nw | black | 4000 K neutral white |
| 20202580002 | LED ModuLite F 300mm 5W ww | anodized aluminium | 3000 K warm white |
| 20202580102 | LED ModuLite F 450mm 8W ww | anodized aluminium | 3000 K warm white |
| 20202580202 | LED ModuLite F 600mm 10W ww | anodized aluminium | 3000 K warm white |
| 20202580302 | LED ModuLite F 900mm 15W ww | anodized aluminium | 3000 K warm white |
| 20202580402 | LED ModuLite F 1200mm 18W ww | anodized aluminium | 3000 K warm white |
| 20202580003 | LED ModuLite F 300mm 5W nw | anodized aluminium | 4000 K neutral white |
| 20202580103 | LED ModuLite F 450mm 8W nw | anodized aluminium | 4000 K neutral white |
| 20202580203 | LED ModuLite F 600mm 10W nw | anodized aluminium | 4000 K neutral white |
| 20202580303 | LED ModuLite F 900mm 15W nw | anodized aluminium | 4000 K neutral white |
| 20202580403 | LED ModuLite F 1200mm 18W nw | anodized aluminium | 4000 K neutral white |

Order number: 20202580402



| wattage | L | Number * |
|---------|------|----------|
| 5 W | 300 | 60 |
| 8 W | 450 | 36 |
| 10 W | 600 | 30 |
| 15 W | 900 | 20 |
| 18 W | 1200 | 16 |

* Maximum number of luminaires per strip light
(maximum 3 strip lights, HVLCs V 6-way distributor
maximum 2.5A total) on one N-circuit breaker
16A, single pole, type B.

