

## ModuLite F



230V under cabinet kitchen luminaire with homogeneous planar light LED ModuLite F 450mm 8W nw



### Description:

White uniform light for the best working conditions - this is what the ModuLite F LED under-cabinet luminaire with 230V promises. In addition to strong performance, the light strip offers clever features that are perfectly designed for use in the kitchen. The housing of the LED under-cabinet luminaire is made of anodised aluminium and is therefore particularly resistant to water vapour. Thanks to the integrated switch, operating the light strip is particularly easy. This also applies to installation: the under-cabinet luminaire can be screwed through and uses the high-voltage plug-in system from Tyco AMP. This makes it easy to install the LED luminaire in the kitchen. The very small plug with a diameter of just 7.5 mm also enables discreet use even in the tightest spaces.


|                                 |                                               |
|---------------------------------|-----------------------------------------------|
| <b>Connection:</b>              | 220 - 240V / 50 - 60Hz                        |
| <b>Life:</b>                    | L70/B10 >= 60.000h                            |
| <b>Light colour:</b>            | 4000K neutral white                           |
| <b>Beam angle:</b>              | 120°                                          |
| <b>Energy efficiency:</b>       | LED: 122 lm/W; luminaire: 1583 lm/m (95 lm/W) |
| <b>Energy efficiency class:</b> | F                                             |
| <b>Colour rendering:</b>        | Ra/CRI >= 90                                  |
| <b>Symbols:</b>                 | CE, MM, IP20, SK II                           |
| <b>EAN-No.:</b>                 | 4,05E+12                                      |
| <b>Weight:</b>                  | 0,195 kg                                      |

### Special features:

- integrated HVLCS plug and socket in casing for uninterrupted strip lights (max. 300W)
- with integrated switch
- not dimmable

### ModuLite F

|      | 120° | Ø    | ww      | nw      |
|------|------|------|---------|---------|
| 0,5m |      | 610  | 2360 lx | 2400 lx |
| 1,0m |      | 1220 | 590 lx  | 600 lx  |
| 1,5m |      | 1830 | 262 lx  | 267 lx  |
| 2,0m |      | 2440 | 148 lx  | 150 lx  |
| 2,5m |      | 3050 | 94 lx   | 96 lx   |



**Order number:**  
20202580103


article in stock

## available versions

Choose from the options below. The currently selected one is highlighted in color.

| article number     | description                       | colour of housing         | light colour               |
|--------------------|-----------------------------------|---------------------------|----------------------------|
| 20202580112        | LED ModuLite F 450mm 8W ww        | White                     | 3000K warm white           |
| 20202580212        | LED ModuLite F 600mm 10W ww       | White                     | 3000K warm white           |
| 20202580312        | LED ModuLite F 900mm 15W ww       | White                     | 3000K warm white           |
| 20202580412        | LED ModuLite F 1200mm 18W ww      | White                     | 3000K warm white           |
| 20202580113        | LED ModuLite F 450mm 8W nw        | White                     | 4000K neutral white        |
| 20202580213        | LED ModuLite F 600mm 10W nw       | White                     | 4000K neutral white        |
| 20202580313        | LED ModuLite F 900mm 15W nw       | White                     | 4000K neutral white        |
| 20202580413        | LED ModuLite F 1200mm 18W nw      | White                     | 4000K neutral white        |
| 20202580132        | LED ModuLite F 450mm 8W ww        | Black                     | 3000K warm white           |
| 20202580232        | LED ModuLite F 600mm 10W ww       | Black                     | 3000K warm white           |
| 20202580332        | LED ModuLite F 900mm 15W ww       | Black                     | 3000K warm white           |
| 20202580432        | LED ModuLite F 1200mm 18W ww      | Black                     | 3000K warm white           |
| 20202580133        | LED ModuLite F 450mm 8W nw        | Black                     | 4000K neutral white        |
| 20202580233        | LED ModuLite F 600mm 10W nw       | Black                     | 4000K neutral white        |
| 20202580333        | LED ModuLite F 900mm 15W nw       | Black                     | 4000K neutral white        |
| 20202580433        | LED ModuLite F 1200mm 18W nw      | Black                     | 4000K neutral white        |
| 20202580002        | LED ModuLite F 300mm 5W ww        | Anodized aluminium        | 3000K warm white           |
| 20202580102        | LED ModuLite F 450mm 8W ww        | Anodized aluminium        | 3000K warm white           |
| 20202580202        | LED ModuLite F 600mm 10W ww       | Anodized aluminium        | 3000K warm white           |
| 20202580302        | LED ModuLite F 900mm 15W ww       | Anodized aluminium        | 3000K warm white           |
| 20202580402        | LED ModuLite F 1200mm 18W ww      | Anodized aluminium        | 3000K warm white           |
| 20202580003        | LED ModuLite F 300mm 5W nw        | Anodized aluminium        | 4000K neutral white        |
| <b>20202580103</b> | <b>LED ModuLite F 450mm 8W nw</b> | <b>Anodized aluminium</b> | <b>4000K neutral white</b> |
| 20202580203        | LED ModuLite F 600mm 10W nw       | Anodized aluminium        | 4000K neutral white        |
| 20202580303        | LED ModuLite F 900mm 15W nw       | Anodized aluminium        | 4000K neutral white        |
| 20202580403        | LED ModuLite F 1200mm 18W nw      | Anodized aluminium        | 4000K neutral white        |

Order number: 20202580103



| verlenging | L    | Stroom * |
|------------|------|----------|
| 5 W        | 300  | 60       |
| 8 W        | 450  | 36       |
| 10 W       | 600  | 30       |
| 15 W       | 900  | 20       |
| 18 W       | 1200 | 16       |

\* Maximum number of luminaires per strip light  
(Maximum 3 strip lights, HVLCS V 6-way distributor  
maximum 2,5A total) on one N-circuit Breaker  
16A, single pole, type B.

