

Tiny Tube Bridge

Tiny Tube Bridge Pier L+R black



Descripción:

Left and right support arms with supply cable for mounting Tiny Tube Bridge LED rods, optionally extendable with Bridge Pier T as a middle section.

Conexión: LED-Trafo DC 24V
Lichtfarbe: 4000K blanco neutro
Eficiencia energética: LED 120 lm/W; luminaire: 309 lm (103 lm/W)
Zeichen: CE, MM, IP20, SK III
EAN-Nr.: 4,05E+12
Gewicht: 0,15 kg


Particularidades:

- Height continuously adjustable
- dimmable
- rotatable

Agujero



14 mm



N.º de artículo:
20203604003

disponibilidad restringida probable

Versiones disponibles

Elija uno de los siguientes modelos. El seleccionado actualmente está resaltado.

N.º de artículo	Denominación	Color de la carcasa	Carcasa de metal	Tipo	Reproducción de colores	Color de la luz	Águlo del haz	Eficiencia energética	Vida útil
20203603003	Tiny Tube Bridge 3,0W 254mm nw black	Negro	Si	Luminaria lineal	Ra/CRI >= 90	4000K blanco neutro	126°	LED 120 lm/W; luminaire: 309 lm (103 lm/W)	L90/B10 >= 36.000h
20203603013	Tiny Tube Bridge 6,3W 544mm nw black	Negro	Si	Luminaria lineal	Ra/CRI >= 90	4000K blanco neutro	126°	LED 120 lm/W; luminaire: 649 lm (103 lm/W)	L90/B10 >= 36.000h
20203603023	Tiny Tube Bridge 9,5W 844mm nw black	Negro	Si	Luminaria lineal	Ra/CRI >= 90	4000K blanco neutro	126°	LED 120 lm/W; luminaire: 980 lm (103 lm/W)	L90/B10 >= 36.000h
20203604003	Tiny Tube Bridge Pier L+R black	-	No	-	-	-	-	-	-
20203605003	Tiny Tube Bridge Pier T black	-	No	-	-	-	-	-	-

