


Dynamic Line

Self-adhesive, adjustable, pluggable Connecting cable LED RGB-, Power-, Dynamic-Line 50mm



Descripción:

connecting cable LED RGB Line as Connection between two Lines

Lichtfarbe: 2700 - 5000K (Dynamic) adjustable

Eficiencia energética: LED 98 lm/W; luminaire: 300 lm/m (80 lm/W)


Zeichen: CE, MM, IP20, SK III

EAN-Nr.: 4,05E+12

Gewicht: 0,002 kg

Particularidades:

- max. 6m or 18 x 333mm Line on one supply cable, quick and easy installation due to double-sided adhesive tape and integrated plug and socket of the Line (direct plug-in without connecting cable), Lines can be shortened at 167mm according to the marks on the front side, remains can't be used



N.º de artículo:
21529060001

disponibilidad restringida probable

Versiones disponibles

Elija uno de los siguientes modelos. El seleccionado actualmente está resaltado.

N.º de artículo	Denominación	regulable en intensidad	Águlo del haz	Tipo	Reproducción de colores	Conexión	Vida útil	Color de la luz	Eficiencia energética
20202510101	Dynamic LED Line 333mm 24 LED 1,25W	Si	120°	Luminaria lineal	Ra/CRI >= 80	LED-Trafo DC 24V	L70/B10 >= 60.000h	2700 – 5000K (Dynamic) ajustable	LED 98 lm/W; luminaire: 300 lm/m (80 lm/W)
20202510201	Dynamic LED Line 1000mm 72 LED 3,75W	Si	120°	Luminaria lineal	Ra/CRI >= 80	LED-Trafo DC 24V	L70/B10 >= 60.000h	2700 – 5000K (Dynamic) ajustable	LED 98 lm/W; luminaire: 300 lm/m (80 lm/W)
20202510301	Dynamic LED Line 2000mm 144 LED 7,50W	Si	120°	Luminaria lineal	Ra/CRI >= 80	LED-Trafo DC 24V	L70/B10 >= 60.000h	2700 – 5000K (Dynamic) ajustable	LED 98 lm/W; luminaire: 300 lm/m (80 lm/W)
21529060001	Connecting cable LED RGB-, Power-, Dynamic-Line 50mm	No	-	-	-	-	-	-	-
21529062001	Connecting cable LED RGB-, Power-, Dynamic-Line 2000mm	No	-	-	-	-	-	-	-
21529060501	Connecting cable LED RGB-, Power-, Dynamic-Line 500mm	No	-	-	-	-	-	-	-
21534061001	Supply cable Dynamic LED Line 1000mm	No	-	-	-	LED-Trafo DC 24V	-	-	-

