


## 24V Dim-Controller

Light control 24V Dimm-Controller BLE 120W with 12-way distributor



### Descripción:

Bluetooth Low Energy-controller for dimming and switching LED 24V luminaires, easy plug-in connection for new or existing installations, controllable with every iOS or Android smartphone or tablet (App for free), with memory-function (after cut off from mains the last setting is recovered), supply cable with two LED 24-plugs and 12-way distributor for the luminaires

**Conexión:** LED-Trafo DC 24V


**Zeichen:** CE, MM, IP20, SK III

**EAN-Nr.:** 4,05E+12

**Gewicht:** 0,07 kg

### Particularidades:

- Connection: 24V DC / for luminaires with LED 24 plug Other:
  - easy plug-in connection for new or existing installations
  - with memory function (after disconnection from the mains, the previous dimming status is restored)
- Radio remote controls for dimming and switching
  - flush-mounted touch remote control to dim and switch with customary push-button (operating distance 15m / less for walls and ceilings)
  - 4 channel remote control with master button and wall mounting also combinable with Dynamic controllers?
  - surface mounted remote control with wall mounting
  - recessed remote control for wood with 35mm cut-out, depth min. 12mm incl. mounting housing stainless steel look or for use in standard sockets
- multiple radio controllers can be activated simultaneously using one remote control or per channel
- all controllers with „Soft Off“ and „Multicontrol“ ( max. 7 different radio transmitters can be used with one controller)
- DALI controller
  - for connection to complex controls or bus systems
- BLE Controller (Bluetooth Low Energy)
  - controllable via any iOS or Android smartphone or tablet (with free Meshle app)
  - Indoor range up to 15m (Mesh network)
  - freely programmable scenes
  - very easy installation due to plug & play components and plug-in systems
  - can be used individually as a stand-alone control
  - up to 30 controllers automatically connect to each other and can be controlled via Bluetooth in the app
  - incl. timer function (individual switch-on and switch-off times)
- Sonar Controller for invisible switching and dimming behind



**N.º de artículo:**  
20805005101

artículo disponible en stock

wood, glass, stone or ceramics with a max. thickness of 40mm

## Versiones disponibles

Elija uno de los siguientes modelos. El seleccionado actualmente está resaltado.

| N.º de artículo    | Denominación                                                                                                 | Sistema de enchufe | Conexión                |
|--------------------|--------------------------------------------------------------------------------------------------------------|--------------------|-------------------------|
| 20805003006        | 24V Dim-Controller radio 80W incl. flush-mounted touch-remote-control                                        | LED 24             | LED-Trafo DC 24V        |
| 61500050526        | 24V Dim-Controller radio 80W incl. 4 channel remote control black                                            | LED 24             | LED-Trafo DC 24V        |
| 61500050521        | 24V Dim-Controller radio 80W incl. surface mounted remote control black                                      | LED 24             | LED-Trafo DC 24V        |
| 61500050523        | 24V Dim-Controller radio 80W incl. surface mounted remote control stainless steel look                       | LED 24             | LED-Trafo DC 24V        |
| 61500050522        | 24V Dim-Controller radio 80W incl. recessed remote control black                                             | LED 24             | LED-Trafo DC 24V        |
| 61500050524        | 24V Dim-Controller radio 80W incl. recessed remote control stainless steel look                              | LED 24             | LED-Trafo DC 24V        |
| 20805003002        | 24V Dim-Controller radio 80W without remote control (only as extension for controllers incl. remote control) | LED 24             | LED-Trafo DC 24V        |
| 61500050603        | Surface mounted remote control dim black                                                                     | -                  | -                       |
| 61500050601        | Surface mounted remote control dim stainless steel look                                                      | -                  | -                       |
| 61500050623        | Recessed remote control dim black                                                                            | -                  | -                       |
| 61500050621        | Recessed remote control dim stainless steel look                                                             | -                  | -                       |
| 20805003001        | 24V Dim-Controller 1-10V 80W with 12-way distributor 2)                                                      | LED 24             | LED-Trafo DC 24V        |
| 61500052201        | 24V Dim-Controller ZigBee / Alexa 96W with 12-way distributor                                                | LED 24             | LED-Trafo DC 24V        |
| 21703250101        | Wall switch Dim ZigBee / Alexa white                                                                         | LED 24             | LED-Trafo DC 24V        |
| 61500051601        | 24V Dim-Controller CASAMBI 144W with 12-way distributor                                                      | LED 24             | LED-Trafo DC 24V        |
| 20805003041        | 24V Dim-Controller Sonar 48W with 11-way distributor                                                         | LED 24             | LED-Trafo DC 24V        |
| 20805005001        | 24V Dim-Controller Touch 60W with 2 solder bridges                                                           | LED 24             | LED-Trafo DC 24V        |
| 61500052701        | Wall switch Dim ZigBee / Alexa white + Controller 96W                                                        | LED 24             | LED-Trafo DC 24V        |
| <b>20805005101</b> | <b>24V Dimm-Controller BLE 120W with 12-way distributor</b>                                                  | <b>LED 24</b>      | <b>LED-Trafo DC 24V</b> |
| 20805004051        | 24V Dim-Controller DALI 120W with 12-way distributor                                                         | LED 24             | LED-Trafo DC 24V        |
| 61500052713        | Wall switch Dim ZigBee / Alexa black                                                                         | LED 24             | LED-Trafo DC 24V        |
| 61500052703        | Wall switch Dim ZigBee / Alexa black + Controller 96W                                                        | LED 24             | LED-Trafo DC 24V        |

