

SR 68



Swivel and tilt recessed ceiling spotlight for 68-80mm ceiling cut-out SR 68-LED 4,8W 35° xw matt chrome



Descripción:

Swiveling LED recessed spotlight, metal housing, connecting cable 0.2m with LED 350 plug, quick and easy installation by spring clips, optional accessories: dimmable transformer for phase dimmer or 1-10V dimmer, light color extra warm white approx. 2700K, gimbal swivel around each 20°

Conexión: LED-Trafo DC 350 mA
Vida útil: L70/B10 >= 70.000 h
Lichtfarbe: 2700 K blanco extra cálido
Ausstrahlungswinkel: 35°
Eficiencia energética: LED: 120 lm/W luminaire 485 lm (100 lm/W incl. transformer)
Energieeffizienzklasse: E
Reproducción de colores: Ra/CRI >= 90
Zeichen: CE, MM, UL, IP44, UGR<19, SK III
EAN-Nr.: 4051268138949
Gewicht: 0,11 kg

Particularidades:

- swivels and tilts 20° to both sides
- metal casing
- suitable for screen workplaces! (UGR < 19)


SR 68 4,8W

35°	Ø	xw	ww	nw
0,5m	280	3650 lx	3880 lx	4216 lx
1,0m	560	912 lx	970 lx	1054 lx
1,5m	840	406 lx	431 lx	468 lx
2,0m	1120	228 lx	243 lx	264 lx
2,5m	1400	146 lx	155 lx	169 lx

Agujero



68-74mm (ohne Ring)
 68-84mm (mit Ring)



N.º de artículo:
 20202401401

disponibilidad restringida probable

Versiones disponibles

Elija uno de los siguientes modelos. El seleccionado actualmente está resaltado.

N.º de artículo	Denominación	Color de la carcasa	Color de la luz	Ángulo del haz
20202401401	SR 68-LED 4,8W 35° xw matt chrome	cromo mate	2700 K blanco extra cálido	35°
20202402001	SR 68-LED 4,8W 35° xw stainless steel look	aspecto acero inoxidable	2700 K blanco extra cálido	35°
20202401701	SR 68-LED 4,8W 35° xw white	blanco	2700 K blanco extra cálido	35°
20202400201	SR 68-LED 4,8W 22° ww matt chrome	cromo mate	3000 K blanco cálido	22°
20202401201	SR 68-LED 4,8W 35° ww matt chrome	cromo mate	3000 K blanco cálido	35°
20202401801	SR 68-LED 4,8W 35° ww stainless steel look	aspecto acero inoxidable	3000 K blanco cálido	35°
20202401501	SR 68-LED 4,8W 35° ww white	blanco	3000 K blanco cálido	35°
20202400301	SR 68-LED 4,8W 22° nw matt chrome	cromo mate	4000 K blanco neutro	22°
20202401301	SR 68-LED 4,8W 35° nw matt chrome	cromo mate	4000 K blanco neutro	35°
20202401901	SR 68-LED 4,8W 35° nw stainless steel look	aspecto acero inoxidable	4000 K blanco neutro	35°
20202401601	SR 68-LED 4,8W 35° nw white	blanco	4000 K blanco neutro	35°
20202401001	SR 68-LED 4,8W 35° xw black	negro	2700 K blanco extra cálido	35°
20202400801	SR 68-LED 4,8W 35° ww black	negro	3000 K blanco cálido	35°

