

Basic-Tape 2

Self-adhesive, with high colour rendering LED Basic-Tape 2 5m 600 LED 40W cw



Descripción:

Flexible LED tape on roll, light colour cool white approx. 5000K, quick and easy installation by the already applied double-sided 3M adhesive tape, supply cable 2,5m already attached, the tape can be cut every 50mm (see marking). Afterwards the tape can be contacted again without soldering with the connection clip or the cables, optional accessories: dimmable transformer with radio remote control or 1-10V dimmer, glass edge profile for lateral light feed of glass panes, corner profile, mounting profile, cover profile or milled profile


Conexión:	LED-Trafo DC 24 V
Vida útil:	L70/B10 >= 50.000 h
Lichtfarbe:	5000 K blanco frío
Ausstrahlungswinkel:	120°
Eficiencia energética:	LED 120 lm/W luminaire: 824 lm/m (103 lm/W)
Energieeffizienzklasse:	F
Reproducción de colores:	Ra/CRI >= 95
Zeichen:	CE, MM, UL, IP20, SK III
EAN-Nr.:	4051268123266
Gewicht:	0,08 kg

Particularidades:

- max. 6m (version 40W) on one supply cable
- quick and easy installation due to double-sided adhesive tape
- tapes can be shortened at 50mm (version 600 LED) intervals according to the marks
- afterwards the tapes can be reconnected without soldering with the connecting clips or cables

Basic Tape 2

	120°	Ø	20W	40W	80W	120W
0,5m		650	812 lx	1524 lx	2972 lx	4572 lx
1,0m		1300	203 lx	381 lx	743 lx	1143 lx
1,5m		1950	90 lx	169 lx	330 lx	507 lx
2,0m		2600	51 lx	95 lx	186 lx	285 lx
2,5m		3250	32 lx	61 lx	119 lx	183 lx



N.º de artículo:
20202480201

artículo disponible en stock



Versiónes disponibles

Elija uno de los siguientes modelos. El seleccionado actualmente está resaltado.

N.º de artículo	Denominación	configurable	Eficiencia energética	Color de la luz	Reproducción de colores
20202480102	LED Basic-Tape 2 5m 300 LED 20W ww	Si	LED 120 lm/W luminaire: 412 lm/m (103 lm/W)	3000 K blanco cálido	Ra/CRI >= 95
20202480103	LED Basic-Tape 2 5m 300 LED 20W nw	Si	LED 120 lm/W luminaire: 412 lm/m (103 lm/W)	4000 K blanco neutro	Ra/CRI >= 95
20202480204	LED Basic-Tape 2 5m 600 LED 40W xw	Si	LED 120 lm/W luminaire: 824 lm/m (103 lm/W)	2700 K blanco extra cálido	Ra/CRI >= 95
20202480202	LED Basic-Tape 2 5m 600 LED 40W ww	Si	LED 120 lm/W luminaire: 824 lm/m (103 lm/W)	3000 K blanco cálido	Ra/CRI >= 95
20202480203	LED Basic-Tape 2 5m 600 LED 40W nw	Si	LED 120 lm/W luminaire: 824 lm/m (103 lm/W)	4000 K blanco neutro	Ra/CRI >= 95
20202480201	LED Basic-Tape 2 5m 600 LED 40W cw	Si	LED 120 lm/W luminaire: 824 lm/m (103 lm/W)	5000 K blanco frío	Ra/CRI >= 95
20202480205	LED Basic-Tape 2 5m 600 LED 40W dl	Si	LED 120 lm/W luminaire: 824 lm/m (103 lm/W)	6500 K blanco luz del día	Ra/CRI >= 95
20202480402	LED Basic-Tape M 5m 1200 LED 20W ww	Si	LED 120 lm/W luminaire: 412 lm/m (103 lm/W)	3000 K blanco cálido	Ra/CRI >= 90
20202480403	LED Basic-Tape M 5m 1200 LED 20W nw	Si	LED 120 lm/W luminaire: 412 lm/m (103 lm/W)	4000 K blanco neutro	Ra/CRI >= 90
20202480304	LED Basic-Tape 2 5m 1200 LED 80W xw	Si	LED 120 lm/W luminaire: 1650 lm/m (117 lm/W)	2700 K blanco extra cálido	Ra/CRI >= 95
20202480302	LED Basic-Tape 2 5m 1200 LED 80W ww	Si	LED 120 lm/W luminaire: 1650 lm/m (117 lm/W)	3000 K blanco cálido	Ra/CRI >= 95
20202480303	LED Basic-Tape 2 5m 1200 LED 80W nw	Si	LED 120 lm/W luminaire: 1650 lm/m (117 lm/W)	4000 K blanco neutro	Ra/CRI >= 95
20202480502	LED Basic-Tape P 5m 1200 LED 120W ww	Si	LED 120 lm/W; luminaire: 2472 lm/m (103 lm/W)	3000 K blanco cálido	Ra/CRI >= 90
20202480503	LED Basic-Tape P 5m 1200 LED 120W nw	Si	LED 120 lm/W; luminaire: 2472 lm/m (103 lm/W)	4000 K blanco neutro	Ra/CRI >= 90
61060010324	Set of 1 LED Basic-Tape 2 (600) 1000mm 9,0W xw + transformer 15W	No	LED 120 lm/W luminaire: 824 lm/m (103 lm/W)	2700 K blanco extra cálido	Ra/CRI >= 95
61060010374	Set of 1 LED Basic-Tape 2 (600) 3000mm 25,9W xw + transformer 30W	No	LED 120 lm/W luminaire: 824 lm/m (103 lm/W)	2700 K blanco extra cálido	Ra/CRI >= 95
61060010414	Set of 1 LED Basic-Tape 2 (1200) 1000mm 19,1W xw + transformer 30W	No	LED 120 lm/W luminaire: 1650 lm/m (117 lm/W)	2700 K blanco extra cálido	Ra/CRI >= 95
61060010464	Set of 1 LED Basic-Tape 2 (1200) 3000mm 53,6W xw + transformer 60W	No	LED 120 lm/W luminaire: 1650 lm/m (117 lm/W)	2700 K blanco extra cálido	Ra/CRI >= 95
61060010322	Set of 1 LED Basic-Tape 2 (600) 1000mm 9,0W ww + transformer 15W	No	LED 120 lm/W luminaire: 824 lm/m (103 lm/W)	3000 K blanco cálido	Ra/CRI >= 95
61060010372	Set of 1 LED Basic-Tape 2 (600) 3000mm 25,9W ww + transformer 30W	No	LED 120 lm/W luminaire: 824 lm/m (103 lm/W)	3000 K blanco cálido	Ra/CRI >= 95
61060010412	Set of 1 LED Basic-Tape 2 (1200) 1000mm 19,1W ww + transformer 30W	No	LED 120 lm/W luminaire: 1650 lm/m (117 lm/W)	3000 K blanco cálido	Ra/CRI >= 95
61060010462	Set of 1 LED Basic-Tape 2 (1200) 3000mm 53,6W ww + transformer 60W	No	LED 120 lm/W luminaire: 1650 lm/m (117 lm/W)	3000 K blanco cálido	Ra/CRI >= 95
61060010323	Set of 1 LED Basic-Tape 2 (600) 1000mm 9,0W nw + transformer 15W	No	LED 120 lm/W luminaire: 824 lm/m (103 lm/W)	4000 K blanco neutro	Ra/CRI >= 95
61060010373	Set of 1 LED Basic-Tape 2 (600) 3000mm 25,9W nw + transformer 30W	No	LED 120 lm/W luminaire: 824 lm/m (103 lm/W)	4000 K blanco neutro	Ra/CRI >= 95
61060010413	Set of 1 LED Basic-Tape 2 (1200) 1000mm 19,1W nw + transformer 30W	No	LED 120 lm/W luminaire: 1650 lm/m (117 lm/W)	4000 K blanco neutro	Ra/CRI >= 95
61060010463	Set of 1 LED Basic-Tape 2 (1200) 3000mm 53,6W nw + transformer 60W	No	LED 120 lm/W luminaire: 1650 lm/m (117 lm/W)	4000 K blanco neutro	Ra/CRI >= 95

