


Line 2



Self-adhesive, pluggable accent lighting LED Line 2 2000mm 72 LED 5,0W ww



Descrizione:

Flexible, pluggable LED strips, light color warm white approx. 3000K, quick and easy installation due to double-sided 3M tape, simply connect the supply cable and connect the strips up to 6m, strips can be shortened every 167mm (see marking), optional accessories: Dimm Controller with radio remote control, DALI or 1-10V dimmer, glass edge profile for lateral light supply of glass panes, corner profile, mounting profile, cover profile, milled profile or mounting profiles

Collegamento: LED-Trafo DC 24V
Durata: L70/B10 >= 60.000h
Lichtfarbe: 3000K warm white

Ausstrahlungswinkel: 120°

Efficienza energetica: LED 98 lm/W; luminaire: 210 lm/m (84 lm/W)

Resa del colore: Ra/CRI >= 90

Zeichen: CE, MM, IP20, SK III

EAN-Nr.: 4,05E+12


Gewicht: 0,054 kg

Particolarità:

- maximum 6m or 18 x 333mm Line on one supply cable
- quick and easy installation due to double-sided adhesive tape and integrated plug and socket (direct plug-in without connecting cable)
- Lines can be linked together and shortened at 167mm according to the marks on the front side
- remains can't be used

Line 2

	120°	Ø	ww	nw
0,5m		650	288 lx	304 lx
1,0m		1300	72 lx	76 lx
1,5m		1950	32 lx	34 lx
2,0m		2600	18 lx	19 lx
2,5m		3250	12 lx	12 lx



N. articolo:
20202540302

eventualmente disponibili in quantità limitata

Versioni disponibili

Scegli tra le versioni seguenti. Quella attualmente selezionata è evidenziata a colori.

N. articolo	Denominazione	Dimmerabile	Angolo di irradiazione	Tipo di struttura	Resa del colore	Collegamento	Durata	Colore della luce	Efficienza energetica
20202540302	LED Line 2 2000mm 72 LED 5,0W ww	Sì	120°	Luce lineare	Ra/CRI >= 90	LED-Trafo DC 24V	L70/B10 >= 60.000h	3000K bianco caldo	LED 98 lm/W; luminaire: 210 lm/m (84 lm/W)
20202540203	LED Line 2 1000mm 36 LED 2,5W nw	Sì	120°	Luce lineare	Ra/CRI >= 90	LED-Trafo DC 24V	L70/B10 >= 60.000h	4000K bianco neutro	LED 98 lm/W; luminaire: 210 lm/m (84 lm/W)
20202540303	LED Line 2 2000mm 72 LED 5,0W nw	Sì	120°	Luce lineare	Ra/CRI >= 90	LED-Trafo DC 24V	L70/B10 >= 60.000h	4000K bianco neutro	LED 98 lm/W; luminaire: 210 lm/m (84 lm/W)
21531062501	Supply cable LED Line 2500mm	No	-	-	-	LED-Trafo DC 24V	-	-	-
21531061001	Supply cable LED Line 1000mm	No	-	-	-	LED-Trafo DC 24V	-	-	-
21531060001	Connecting cable LED Line 50mm	No	-	-	-	-	-	-	-
21531062001	Connecting cable LED Line 2000mm	No	-	-	-	-	-	-	-

