


## LED 24V Dynamic-Controller



Light control for colour temperature 24V Dynamic-Controller radio 75W incl. recessed remote control stainless steel look



### Descrizione:

Dynamic controller 24V DC with enclosed recessed remote control stainless steel look for wood with 35 mm cut-out min. 12 mm deep, with memory function (after cut off from mains the last setting is recovered), incl. battery, supply cable with two LED 24-plugs and 12-way distributor for the luminaires

**Collegamento:** LED-Trafo DC 24 V


**Zeichen:** CE, MM, IP20, SK III

**EAN-Nr.:** 4051268133326

**Gewicht:** 0,08 kg

### Particolarità:

- for dynamic luminaires with dynamic plug
- easy plug-in connection for new or existing installations
- with memory function (after cut off from mains the last setting is recovered)
- radio remote control: to control the colour setting, dim and switch (operating distance 15m / less for walls and ceilings)
- flush-mounted touch remote control to control the colour setting, dim and switch with customary push button
- surface mounted remote control with wall mounting
- recessed remote control for wood with 35 mm cut-out min. 12 mm incl. mounting housing stainless steel look or for use in standard sockets
- multiple radio controllers can be activated simultaneously using one remote control
- NEW: All controllers with „Soft Off“ and „Multicontrol“ (it is possible to program up to 7 remote controls to one controller)



**N. articolo:**  
61500050534

Articoli in stock

## Versioni disponibili

Scegli tra le versioni seguenti. Quella attualmente selezionata è evidenziata a colori.

N. articolo	Denominazione	Sistema di innesto	Collegamento
20805003015	24V Dynamic-Controller radio 75W incl. flush-mounted touch-remote-control	Dynamic	LED-Trafo DC 24 V
61500050532	24V Dynamic-Controller radio 75W incl. 4 channel remote control black	Dynamic	LED-Trafo DC 24 V
61500050529	24V Dynamic-Controller radio 75W incl. surface mounted remote control black	Dynamic	LED-Trafo DC 24 V
61500050531	24V Dynamic-Controller radio 75W incl. surface mounted remote control stainless steel look	Dynamic	LED-Trafo DC 24 V
61500050530	24V Dynamic-Controller radio 75W with 4-way distributor incl. recessed remote control black	Dynamic	LED-Trafo DC 24 V
<b>61500050534</b>	<b>24V Dynamic-Controller radio 75W incl. recessed remote control stainless steel look</b>	<b>Dynamic</b>	<b>LED-Trafo DC 24 V</b>
20805003012	24V Dynamic-Controller radio 75W without remote control (as extension to controllers incl. rc)	Dynamic	LED-Trafo DC 24 V
20805002051	Flush-mounted touch remote control to adjust the colour, dim and switch	-	220 - 240V / 50 - 60Hz
61500050631	4 channel remote control black	-	-
61500050643	Surface mounted remote control Dynamic black	-	-
61500050641	Surface mounted remote control Dynamic stainless steel look	-	-
61500050653	Recessed remote control Dynamic black	-	-
61500050651	Recessed remote control Dynamic stainless steel look	-	-
61500050533	24V Dynamic-Controller DALI 120W with 2x4-way distributor	Dynamic	LED-Trafo DC 24 V
61500052211	24V Dynamic-Controller ZigBee / Alexa 96W with 2x12-way distributor	Dynamic	LED-Trafo DC 24 V
21703260101	Wall switch Dynamic ZigBee / Alexa white	Dynamic	-
61500051611	24V Dynamic-Controller CASAMBI 75W with 12-way distributor	Dynamic	LED-Trafo DC 24 V
20805005011	24V Dynamic-Controller Touch 48W with 3 solder bridges	Dynamic	LED-Trafo DC 24 V
61500052801	Wall switch Dynamic ZigBee / Alexa white+ Controller 96W	Dynamic	LED-Trafo DC 24 V
20805005201	24V Dynamic-Controller BLE 120W with 12-way distributor	Dynamic	LED-Trafo DC 24 V

