

SR 68



Swivel and tilt recessed ceiling spotlight for 68-80mm ceiling cut-out SR 68-LED 4,8W 35° nw stainless steel look



Descrizione:

Swiveling LED recessed spotlight, metal housing, connecting cable 0.2m with LED 350 plug, quick and easy installation by spring clips, optional accessories: dimmable transformer for phase dimmer or 1-10V dimmer, light color neutral white approx. 4000K, gimbal swivel around each 20°

Collegamento: LED-Trafo DC 350mA

Durata: L70/B10 >= 70.000h

Lichtfarbe: 4000K bianco neutro

Ausstrahlungswinkel: 35°

Efficienza energetica: LED: 120 lm/W luminaire 485 lm (100 lm/W incl. transformer)

Energieeffizienzklasse: E

Resa del colore: Ra/CRI >= 90

Zeichen: CE, MM, UL, IP44, UGR<19, SK III

EAN-Nr.: 4,05E+12

Gewicht: 0,11 kg

Particolarità:

- swivels and tilts 20° to both sides
- metal casing
- suitable for screen workplaces! (UGR < 19)


SR 68 4,8W

35°	Ø	xw	ww	nw
0,5m	280	3650 lx	3880 lx	4216 lx
1,0m	560	912 lx	970 lx	1054 lx
1,5m	840	406 lx	431 lx	468 lx
2,0m	1120	228 lx	243 lx	264 lx
2,5m	1400	146 lx	155 lx	169 lx

Perforazione



68-74mm (ohne Ring)
68-84mm (mit Ring)



N. articolo:
20202401901

eventualmente disponibili in quantità limitata

Versioni disponibili

Scegli tra le versioni seguenti. Quella attualmente selezionata è evidenziata a colori.

N. articolo	Denominazione	Colore esterno	Angolo di irradiazione	Colore della luce
20202401401	SR 68-LED 4,8W 35° xw matt chrome	Cromato opaco	35°	2700K bianco extra caldo
20202402001	SR 68-LED 4,8W 35° xw stainless steel look	Aspetto in acciaio inossidabile	35°	2700K bianco extra caldo
20202401701	SR 68-LED 4,8W 35° xw white	Bianco	35°	2700K bianco extra caldo
20202400201	SR 68-LED 4,8W 22° ww matt chrome	Cromato opaco	22°	3000K bianco caldo
20202401201	SR 68-LED 4,8W 35° ww matt chrome	Cromato opaco	35°	3000K bianco caldo
20202401801	SR 68-LED 4,8W 35° ww stainless steel look	Aspetto in acciaio inossidabile	35°	3000K bianco caldo
20202401501	SR 68-LED 4,8W 35° ww white	Bianco	35°	3000K bianco caldo
20202400301	SR 68-LED 4,8W 22° nw matt chrome	Cromato opaco	22°	4000K bianco neutro
20202401301	SR 68-LED 4,8W 35° nw matt chrome	Cromato opaco	35°	4000K bianco neutro
20202401901	SR 68-LED 4,8W 35° nw stainless steel look	Aspetto in acciaio inossidabile	35°	4000K bianco neutro
20202401601	SR 68-LED 4,8W 35° nw white	Bianco	35°	4000K bianco neutro
20202401001	SR 68-LED 4,8W 35° xw black	Nero	35°	2700K bianco extra caldo
20202400801	SR 68-LED 4,8W 35° ww black	Nero	35°	3000K bianco caldo

