

Basic-Tape S



Self-adhesive, silicone coated, ingress protection IP54 Set of 1 LED Basic-Tape S 1400mm 12,6W xw + transformer 15W



Descrizione:

Flexible LED tape with silicon protection on roll, colour appearance extra warm white 2700 K, quick and easy installation due to 3M double-sided adhesive tape, supply cable 2,5 m already attached, the tape can be shortened at 50 mm (see marking). optional accessories: glass edge profile for lateral light supply of glass panes, corner profiles, cover profiles, milled profiles or mounting profiles, controller with radio remote control DALI, ZigBee or WiFi app


Collegamento: LED-Trafo DC 24 V
Durata: L70/B10 >= 40.000 h
Lichtfarbe: 2700 K bianco extra caldo
Ausstrahlungswinkel: 120°
Efficienza energetica: LED: 129 lm/W; luminaire: 780 lm/m (98 lm/W)
Energieeffizienzklasse: F
Resa del colore: Ra/CRI >= 85
Zeichen: CE, MM, IP54, SK III
EAN-Nr.: 4051268207393
Gewicht: 0,258 kg

Particolarità:

- max. 6 m per supply cable
- quick and easy installation due to double-sided adhesive tape
- tapes can be shortened at 50 mm intervals according to the marks on the front side)
- after removing the silicone layer from the connection pad the strips can be connected with the clips and connecting cables (now IP20 only)
- the power (W) of partial sections cannot be calculated linearly, please refer to the configurator!
- with IP54, suitable for applications requiring higher ingress protection (general humidity, bathroom, kitchen, shops). The silicone compound assures an additional mechanical protection e.g. for frequent cleaning work.

Basic-Tape S

	120°	Ø	xw	ww	nw
0,5m		610	884 lx	952 lx	1024 lx
1,0m		1220	221 lx	238 lx	256 lx
1,5m		1830	98 lx	106 lx	114 lx
2,0m		2440	55 lx	60 lx	64 lx
2,5m		3050	35 lx	38 lx	41 lx



N. articolo:
61059410124

eventualmente disponibili in quantità limitata

Versioni disponibili

Scegli tra le versioni seguenti. Quella attualmente selezionata è evidenziata a colori.

N. articolo	Denominazione	Configurabile	Colore della luce
20202630234	LED Basic-Tape S 5m 600 LED 40W xw	Sì	2700 K bianco extra caldo
20202630232	LED Basic-Tape S 5m 600 LED 40W ww	Sì	3000 K bianco caldo
20202630233	LED Basic-Tape S 5m 600 LED 40W nw	Sì	4000 K bianco neutro
61059410104	Set of 1 LED Basic-Tape S 900mm 8,1W xw + transformer 15W	No	2700 K bianco extra caldo
61059410114	Set of 1 LED Basic-Tape S 1000mm 9,0W xw + transformer 15W	No	2700 K bianco extra caldo
61059410124	Set of 1 LED Basic-Tape S 1400mm 12,6W xw + transformer 15W	No	2700 K bianco extra caldo
61059410134	Set of 1 LED Basic-Tape S 2400mm 21,1W xw + transformer 30W	No	2700 K bianco extra caldo
61059410144	Set of 1 LED Basic-Tape S 2600mm 22,7W xw + transformer 30W	No	2700 K bianco extra caldo
61059410154	Set of 1 LED Basic-Tape S 2800mm 24,4W xw + transformer 30W	No	2700 K bianco extra caldo
61059410164	Set of 1 LED Basic-Tape S 3000mm 25,9W xw + transformer 30W	No	2700 K bianco extra caldo
61059410174	Set of 1 LED Basic-Tape S 4600mm 37,5W xw + transformer 60W	No	2700 K bianco extra caldo
61059410184	Set of 1 LED Basic-Tape S 5000mm 40,0W xw + transformer 60W	No	2700 K bianco extra caldo
61059410112	Set of 1 LED Basic-Tape S 1000mm 9,0W ww + transformer 15W	No	3000 K bianco caldo
61059410162	Set of 1 LED Basic-Tape S 3000mm 25,9W ww + transformer 30W	No	3000 K bianco caldo
61059410113	Set of 1 LED Basic-Tape S 1000mm 9,0W nw + transformer 15W	No	4000 K bianco neutro
61059410163	Set of 1 LED Basic-Tape S 3000mm 25,9W nw + transformer 30W	No	4000 K bianco neutro

