

## Basic-Tape 2

Self-adhesive, with high colour rendering LED Basic-Tape M 5m 1200 LED 20W nw



### Descrizione:

Flexible LED tape on roll, light color neutral white approx. 4000K, quick and easy installation by the already applied double-sided 3M adhesive tape, supply cable 2,5m already attached, the tape can be cut every 25mm (see marking). Then the tape can be contacted again without soldering with the connection clip or the cables, optional accessories: dimmable transformer with radio remote control or 1-10V dimmer, glass edge profile for lateral light feed of glass panes, corner profile, mounting profile, cover profile or milled profile


**Collegamento:** LED-Trafo DC 24 V  
**Durata:** L70/B10 >= 50.000 h  
**Lichtfarbe:** 4000 K bianco neutro  
**Ausstrahlungswinkel:** 120°  
**Efficienza energetica:** LED 120 lm/W luminaire: 412 lm/m (103 lm/W)  
**Energieeffizienzklasse:** F  
**Resa del colore:** Ra/CRI >= 90  
**Zeichen:** CE, MM, IP20, SK III  
**EAN-Nr.:** 4051268161640  
**Gewicht:** 0,08 kg

### Particolarità:

- max. 10m (version 20W) on one supply cable
- quick and easy installation due to double-sided adhesive tape
- tapes can be shortened at 25mm (version 1200 LED) intervals according to the marks
- afterwards the tapes can be reconnected without soldering with the connecting clips or cables

### Basic Tape 2

|      | 120° | Ø    | 20W    | 40W     | 80W     | 120W    |
|------|------|------|--------|---------|---------|---------|
| 0,5m |      | 650  | 812 lx | 1524 lx | 2972 lx | 4572 lx |
| 1,0m |      | 1300 | 203 lx | 381 lx  | 743 lx  | 1143 lx |
| 1,5m |      | 1950 | 90 lx  | 169 lx  | 330 lx  | 507 lx  |
| 2,0m |      | 2600 | 51 lx  | 95 lx   | 186 lx  | 285 lx  |
| 2,5m |      | 3250 | 32 lx  | 61 lx   | 119 lx  | 183 lx  |



**N. articolo:**  
20202480403

eventualmente disponibili in quantità limitata



## Versioni disponibili

Scegli tra le versioni seguenti. Quella attualmente selezionata è evidenziata a colori.

| N. articolo | Denominazione                                                      | Configurabile | Efficienza energetica                         | Colore della luce         | Resa del colore |
|-------------|--------------------------------------------------------------------|---------------|-----------------------------------------------|---------------------------|-----------------|
| 20202480102 | LED Basic-Tape 2 5m 300 LED 20W ww                                 | Si            | LED 120 lm/W luminaire: 412 lm/m (103 lm/W)   | 3000 K bianco caldo       | Ra/CRI >= 95    |
| 20202480103 | LED Basic-Tape 2 5m 300 LED 20W nw                                 | Si            | LED 120 lm/W luminaire: 412 lm/m (103 lm/W)   | 4000 K bianco neutro      | Ra/CRI >= 95    |
| 20202480204 | LED Basic-Tape 2 5m 600 LED 40W xw                                 | Si            | LED 120 lm/W luminaire: 824 lm/m (103 lm/W)   | 2700 K bianco extra caldo | Ra/CRI >= 95    |
| 20202480202 | LED Basic-Tape 2 5m 600 LED 40W ww                                 | Si            | LED 120 lm/W luminaire: 824 lm/m (103 lm/W)   | 3000 K bianco caldo       | Ra/CRI >= 95    |
| 20202480203 | LED Basic-Tape 2 5m 600 LED 40W nw                                 | Si            | LED 120 lm/W luminaire: 824 lm/m (103 lm/W)   | 4000 K bianco neutro      | Ra/CRI >= 95    |
| 20202480201 | LED Basic-Tape 2 5m 600 LED 40W cw                                 | Si            | LED 120 lm/W luminaire: 824 lm/m (103 lm/W)   | 5000 K bianco freddo      | Ra/CRI >= 95    |
| 20202480205 | LED Basic-Tape 2 5m 600 LED 40W dl                                 | Si            | LED 120 lm/W luminaire: 824 lm/m (103 lm/W)   | 6500 K bianco diurno      | Ra/CRI >= 95    |
| 20202480402 | LED Basic-Tape M 5m 1200 LED 20W ww                                | Si            | LED 120 lm/W luminaire: 412 lm/m (103 lm/W)   | 3000 K bianco caldo       | Ra/CRI >= 90    |
| 20202480403 | LED Basic-Tape M 5m 1200 LED 20W nw                                | Si            | LED 120 lm/W luminaire: 412 lm/m (103 lm/W)   | 4000 K bianco neutro      | Ra/CRI >= 90    |
| 20202480304 | LED Basic-Tape 2 5m 1200 LED 80W xw                                | Si            | LED 120 lm/W luminaire: 1650 lm/m (117 lm/W)  | 2700 K bianco extra caldo | Ra/CRI >= 95    |
| 20202480302 | LED Basic-Tape 2 5m 1200 LED 80W ww                                | Si            | LED 120 lm/W luminaire: 1650 lm/m (117 lm/W)  | 3000 K bianco caldo       | Ra/CRI >= 95    |
| 20202480303 | LED Basic-Tape 2 5m 1200 LED 80W nw                                | Si            | LED 120 lm/W luminaire: 1650 lm/m (117 lm/W)  | 4000 K bianco neutro      | Ra/CRI >= 95    |
| 20202480502 | LED Basic-Tape P 5m 1200 LED 120W ww                               | Si            | LED 120 lm/W; luminaire: 2472 lm/m (103 lm/W) | 3000 K bianco caldo       | Ra/CRI >= 90    |
| 20202480503 | LED Basic-Tape P 5m 1200 LED 120W nw                               | Si            | LED 120 lm/W; luminaire: 2472 lm/m (103 lm/W) | 4000 K bianco neutro      | Ra/CRI >= 90    |
| 61060010324 | Set of 1 LED Basic-Tape 2 (600) 1000mm 9,0W xw + transformer 15W   | No            | LED 120 lm/W luminaire: 824 lm/m (103 lm/W)   | 2700 K bianco extra caldo | Ra/CRI >= 95    |
| 61060010374 | Set of 1 LED Basic-Tape 2 (600) 3000mm 25,9W xw + transformer 30W  | No            | LED 120 lm/W luminaire: 824 lm/m (103 lm/W)   | 2700 K bianco extra caldo | Ra/CRI >= 95    |
| 61060010414 | Set of 1 LED Basic-Tape 2 (1200) 1000mm 19,1W xw + transformer 30W | No            | LED 120 lm/W luminaire: 1650 lm/m (117 lm/W)  | 2700 K bianco extra caldo | Ra/CRI >= 95    |
| 61060010464 | Set of 1 LED Basic-Tape 2 (1200) 3000mm 53,6W xw + transformer 60W | No            | LED 120 lm/W luminaire: 1650 lm/m (117 lm/W)  | 2700 K bianco extra caldo | Ra/CRI >= 95    |
| 61060010322 | Set of 1 LED Basic-Tape 2 (600) 1000mm 9,0W ww + transformer 15W   | No            | LED 120 lm/W luminaire: 824 lm/m (103 lm/W)   | 3000 K bianco caldo       | Ra/CRI >= 95    |
| 61060010372 | Set of 1 LED Basic-Tape 2 (600) 3000mm 25,9W ww + transformer 30W  | No            | LED 120 lm/W luminaire: 824 lm/m (103 lm/W)   | 3000 K bianco caldo       | Ra/CRI >= 95    |
| 61060010412 | Set of 1 LED Basic-Tape 2 (1200) 1000mm 19,1W ww + transformer 30W | No            | LED 120 lm/W luminaire: 1650 lm/m (117 lm/W)  | 3000 K bianco caldo       | Ra/CRI >= 95    |
| 61060010462 | Set of 1 LED Basic-Tape 2 (1200) 3000mm 53,6W ww + transformer 60W | No            | LED 120 lm/W luminaire: 1650 lm/m (117 lm/W)  | 3000 K bianco caldo       | Ra/CRI >= 95    |
| 61060010323 | Set of 1 LED Basic-Tape 2 (600) 1000mm 9,0W nw + transformer 15W   | No            | LED 120 lm/W luminaire: 824 lm/m (103 lm/W)   | 4000 K bianco neutro      | Ra/CRI >= 95    |
| 61060010373 | Set of 1 LED Basic-Tape 2 (600) 3000mm 25,9W nw + transformer 30W  | No            | LED 120 lm/W luminaire: 824 lm/m (103 lm/W)   | 4000 K bianco neutro      | Ra/CRI >= 95    |
| 61060010413 | Set of 1 LED Basic-Tape 2 (1200) 1000mm 19,1W nw + transformer 30W | No            | LED 120 lm/W luminaire: 1650 lm/m (117 lm/W)  | 4000 K bianco neutro      | Ra/CRI >= 95    |
| 61060010463 | Set of 1 LED Basic-Tape 2 (1200) 3000mm 53,6W nw + transformer 60W | No            | LED 120 lm/W luminaire: 1650 lm/m (117 lm/W)  | 4000 K bianco neutro      | Ra/CRI >= 95    |

