

## LED-2-Link accessories



Anodized aluminium LED Cover Profile 15mm 2,95m set of 5




### Descrizione:

LED cover profile aluminium, for covering between LED-2-Link luminaires

Zeichen: UL

EAN-Nr.: 4,05E+12


Gewicht: 1,077 kg



### Perforazione



28mm






N. articolo:  
61500032861

eventualmente disponibili in quantità limitata



## Versioni disponibili

Scegli tra le versioni seguenti. Quella attualmente selezionata è evidenziata a colori.


| N. articolo | Denominazione                                                | Colore esterno       | Esterno in metallo | Regolabile | Tipo di struttura | Grado di protezione | Classe di protezione |
|-------------|--------------------------------------------------------------|----------------------|--------------------|------------|-------------------|---------------------|----------------------|
| 61500032703 | LED-2-Link Showcase Profile 1m                               | Nero                 | Sì                 | Sì         | Luce lineare      | -                   | -                    |
| 61500032763 | LED-2-Link Showcase Profile 2,95m set of 5                   | Nero                 | Sì                 | Sì         | Luce lineare      | -                   | -                    |
| 61500032701 | LED-2-Link Showcase Profile 1m                               | Alluminio anodizzato | Sì                 | Sì         | Luce lineare      | -                   | -                    |
| 61500032761 | LED-2-Link Showcase Profile 2,95m set of 5                   | Alluminio anodizzato | Sì                 | Sì         | Luce lineare      | -                   | -                    |
| 61500032913 | LED-2-Link holding arm 300mm with supply cable 2,5m max. 48W | Nero                 | Sì                 | Sì         | -                 | IP20                | SK3                  |
| 61500032903 | LED-2-Link holding arm 300mm without supply cable            | Nero                 | Sì                 | Sì         | -                 | -                   | -                    |
| 61500032911 | LED-2-Link holding arm 300mm with supply cable 2,5m max. 48W | Alluminio anodizzato | Sì                 | Sì         | -                 | IP20                | SK3                  |
| 61500032901 | LED-2-Link holding arm 300mm without supply cable            | Alluminio anodizzato | Sì                 | Sì         | -                 | -                   | -                    |
| 61500030003 | Mounting Sleeve LED Mounting Profile black                   | Nero                 | Sì                 | No         | -                 | -                   | -                    |
| 61500030007 | Mounting Sleeve LED Mounting Profile anodized aluminium      | Alluminio anodizzato | Sì                 | No         | -                 | -                   | -                    |
| 61500032813 | LED Cover Profile 15mm 1m                                    | -                    | No                 | No         | -                 | -                   | -                    |
| 61500032863 | LED Cover Profile 15mm 2,95m set of 5                        | -                    | No                 | No         | -                 | -                   | -                    |
| 61500032810 | LED Cover Profile 15mm 1m                                    | -                    | No                 | No         | -                 | -                   | -                    |
| 61500032861 | LED Cover Profile 15mm 2,95m set of 5                        | -                    | No                 | No         | -                 | -                   | -                    |



LED profilo fresato A 24mm



LED profilo fresato 24mm



LED profilo di copertura 15mm