SR 68

Swivel and tilt recessed ceiling spotlight for 68-80mm ceiling cut-out SR 68-LED 4,8W 35° xw matt chrome






Descrizione:
Swiveling LED recessed spotlight, metal housing, connecting cable 0.2m with LED 350 plug, quick and easy installation by spring clips, optional accessories: dimmable transformer for phase dimmer or 1-10V dimmer, light color extra warm white approx. 2700K, gimbal swivel around each 20 °

Collegamento:	LED-Trafo DC 350 mA
Durata:	L70/B10 >= 70.000 h
Lichtfarbe:	2700 K bianco extra caldo
Ausstrahlungswinkel:	35°
Efficienza energetica:	LED: 120 lm/W luminaire 485 lm (100 lm/W incl. transformer)
Energieeffizienzklasse:	E
Resa del colore:	Ra/CRI >= 90
Zeichen:	CE, MM, UL, IP44, UGR<19, SK III
EAN-Nr.:	4051268138949
Gewicht:	0,11 kg

Particolarità:

- swivels and tilts 20° to both sides
- metal casing
- suitable for screen workplaces! (UGR < 19)

SR 68 4,8W




35°	Ø	xw	ww	nw
0,5m	280	3650 lx	3880 lx	4216 lx
1,0m	560	912 lx	970 lx	1054 lx
1,5m	840	406 lx	431 lx	468 lx
2,0m	1120	228 lx	243 lx	264 lx
2,5m	1400	146 lx	155 lx	169 lx

Perforazione



68-74mm (ohne Ring) , 68-84mm (mit Ring)



N. articolo:
20202401401

eventualmente disponibili in quantità limitata

Versioni disponibili

Scegli tra le versioni seguenti. Quella attualmente selezionata è evidenziata a colori.

N. articolo	Denominazione	Colore esterno	Colore della luce	Angolo di irradiazione
20202401401	SR 68-LED 4,8W 35° xw matt chrome	cromato opaco	2700 K bianco extra caldo	35°
20202402001	SR 68-LED 4,8W 35° xw stainless steel look	aspetto in acciaio inossidabile	2700 K bianco extra caldo	35°
20202401701	SR 68-LED 4,8W 35° xw white	bianco	2700 K bianco extra caldo	35°
20202400201	SR 68-LED 4,8W 22° ww matt chrome	cromato opaco	3000 K bianco caldo	22°
20202401201	SR 68-LED 4,8W 35° ww matt chrome	cromato opaco	3000 K bianco caldo	35°
20202401801	SR 68-LED 4,8W 35° ww stainless steel look	aspetto in acciaio inossidabile	3000 K bianco caldo	35°
20202401501	SR 68-LED 4,8W 35° ww white	bianco	3000 K bianco caldo	35°
20202400301	SR 68-LED 4,8W 22° nw matt chrome	cromato opaco	4000 K bianco neutro	22°
20202401301	SR 68-LED 4,8W 35° nw matt chrome	cromato opaco	4000 K bianco neutro	35°
20202401901	SR 68-LED 4,8W 35° nw stainless steel look	aspetto in acciaio inossidabile	4000 K bianco neutro	35°
20202401601	SR 68-LED 4,8W 35° nw white	bianco	4000 K bianco neutro	35°
20202401001	SR 68-LED 4,8W 35° xw black	nero	2700 K bianco extra caldo	35°
20202400801	SR 68-LED 4,8W 35° ww black	nero	3000 K bianco caldo	35°

N. articolo: 20202401401